



Husqvarna®

ACCESSORIES AND PRODUCT ATTACHMENTS 2021/2022





HUSQVARNA TAKES CARE OF YOU AND YOUR EQUIPMENT.

A good job becomes better, safer and more enjoyable with the right accessories, protection and clothing. So when we develop accessories, supplementary tools and clothing, we apply the same thinking as when we develop our other products: We listen to the most demanding customers and let their views form the basis for our product design and our choice of materials.





HUSQVARNA ACCESSORIES INDEX

PERSONAL PROTECTION	4
PROTECTIVE CLOTHING	8
WORK GLOVES	14
FOOTWEAR	15
HEAD, FACE & EAR PROTECTION	16
HARNESSES	18
ARBORIST ACCESSORIES	19
FILING EQUIPMENT	20
OUTDOOR TOOLS AND ACCESSORIES	21
HANSAWS	21
SPRAYERS	22
AXES	24
TOOL BELT FLEXI	25
HANDHELD PRODUCT ACCESSORIES	26
FUEL & OIL STORAGE	27
OILS & LUBRICANTS	28
CUTTING EQUIPMENT	30
TRIMMER / BRUSHCUTTER CUTTING EQUIPMENT GUIDE	32
CHAINSAW BARS & CHAINS	34
CHAINSAW FIT UP GUIDE	36
SAW CHAIN REFERENCE CHART	38
GUIDE BAR REFERENCE CHART	42
TIE STRAPS / PRESET TIE STRAPS	43
REPLACEABLE SPROCKET NOSES	43
BATTERY BELT	44
BATTERY: OTHER	44
BATTERY CHARGERS & STORAGE	45
RIDER ATTACHMENTS	46
LAWN TRACTOR ATTACHMENTS	48
ZTR® ZERO TURN MOWER PRODUCT ATTACHMENTS	49
GENERAL WHEELED ACCESSORIES	50
WET AND DRY VACUUM ACCESSORIES	51
ROBOTIC LAWN MOWER ACCESSORIES	52
PRESSURE WASHER ACCESSORIES	54
SERVICE AND WORKSHOP	56
TOYS	58



IMPORTANT INFORMATION

Husqvarna conducts continuous product development and reserves the right to change designs, specifications and equipment levels without prior notification. All products with moving parts can be dangerous if used improperly. Always read the instructions carefully. Equipment and performance can vary from market to market. Regarding design and use of reflective clothing, carefully check the legal requirements in your country. All technical data was current at time of printing. However such data is subject to change due to product development. We cannot accept responsibility for printing errors. Images for illustrational purposes only.



EXPECT MAXIMUM PROTECTION - NO MATTER THE PERFORMANCE LEVEL



TECHNICAL EXTREME



TECHNICAL



LAYERED PROTECTION


Husqvarna safety trousers include advanced protective material comprising of fewer layers. This makes each garment lighter, without compromising protection levels. The material and layering design consists of high-tech fibers that ensure the ultimate in safety.




CONFIDENT SAFETY WITH REGULAR TESTING

In addition to meeting mandatory certification requirements, Husqvarna Protective clothing undergoes additional voluntary testing such as the EuroTest® mark. Randomly selected samples are regularly re-inspected by an accredited institute.

Good protective equipment must withstand demanding conditions and provide the required protection. That's why we use nothing but high-quality materials. Each job comes with different requirements. Our range of protective clothing takes into consideration every type of work. In fact, our extensive range of safety clothing, offering the latest innovations in design and materials, will provide you with the level of protection and comfort you need to get the job done.

**FUNCTIONAL****CLASSIC****GRADED PROTECTION CLASS**

Trouser protection is ranked based on its ability to stop the chain at different speeds: Class 0 (16 m/s), Class 1 (20 m/s), Class 2 (24 m/s) and Class 3 (28 m/s). Tested and approved in accordance with AU, NZ, European (CE) and International (ISO) standards.

**TROUSER CUT PROTECTION AREAS**

The shaded areas show the location of protective material.



MATERIALS CHOSEN FOR YOUR NEEDS



WORKWEAR TWILL

The woven twill fabric has a reliable performance in workwear. It is resistant to tearing, stretching and stains, which gives it a high sturdiness.

270 G/M² 65% POLYESTER / 35% COTTON.

Classic Range



WORKWEAR SHINE TWILL

With the proven durability of Workwear Twill, the shiny yarn in the fabric creates an appealing appearance.

240 G/M² 70% POLYESTER / 30% COTTON.

Classic Range



MICRO POLYESTER

Our Micro Polyester is a plain woven fabric with a soft touch resistant to tearing, stretching and stains.

190 G/M² 100% POLYESTER.

Functional Range



CORDURA® LIGHT

Cordura® means durability without compromise. The fabric delivers high functionality and exceptional comfort in a lightweight fabric.

175 G/M² 100% CORDURA® POLYAMIDE.

Functional Range



CORDURA® HEAVY

Our Cordura® Heavy is used on the most exposed areas of the garments – around ankles and wrists for example. The fabric has a Teflon® finish which helps repel water, oil and stains.

220 G/M² 100% CORDURA®.

Functional & Technical Range



COMFORTABLE STRETCH

A 4-way stretch fabric that stretches in all directions, length-ways and across. The breathable fabric therefore gives you high movability in areas where it is needed, and provides comfortable movement.

235 G/M² 92% POLYESTER / 8% LYCRA®.

Technical Range



ARAMIDE MÉLANGE

A fibre composition combining abrasion resistant Kevlar® fibres and hard wearing Cordura® fibres, making our Aramide mélange a tough fabric used for reinforcements on exposed areas.

240 G/M² 45% CORDURA® / 30% POLYAMIDE / 25% KEVLAR® ARAMIDE.

Technical Range



DYNEEMA®

Dyneema® - The worlds strongest fibre. 15 times stronger than steel, yet floats on water and is as soft as silk.

180 G/M² 62% PA CORDURA® / 38% DYNEEMA®.

Technical Robust & Technical Extreme Range



CORDURA® REFLEX

Cordura® means durability without compromise. The fabric delivers the wear and tear resistance needed on the most exposed areas. The reflective yarn in the fabric gives high visibility in dark and dim conditions.

335G/M² 100% CORDURA® POLYAMIDE.

Technical Extreme Range



CORDURA® CHECKERED

Delivering excellent wear and tear resistance and coated on the back for improved water resistance.

225 G/M² 100% CORDURA® POLYAMIDE.

Technical Extreme Range



LIGHT WEIGHT STRETCH

Our light 4-way stretch fabric stretches in all directions. The breathable fabric gives you high movability in areas where it is needed, and provides maximum comfort.

190 G/M² 88% POLYESTER (14% POLYESTER COOLMAX®) / 12% ELASTANE (LYCRA®).

Technical Extreme Range



FEATHER STRETCH

Our lightest fabric with 2-way stretch used for areas requiring maximum freedom of movement and high comfort.

185 G/M² 66% POLYESTER / 34% ELASTANE.

Technical Robust & Extreme Range



FIND YOUR SIZE


FOREST JACKETS / STANDARD SIZES

SIZE	S	M	L	XL	XXL
CHEST (cm)	92-96	100-104	108-112	116-120	124-128

PROTECTIVE TROUSERS

SIZE	46	50	54	58	62
MODEL	S	M	L	XL	XXL
HEIGHT (cm)	170-176	176-182	176-182	182-188	188-194
WAIST (cm)	81-90	86-96	91-102	96-105	101-114
INSIDE LEG (inches)	31.5	32	32.5	33	33

Note: All measurements are body measurements, except the inner leg, which is a garment measurement. If a base layer is to be worn under the garment, it should also be worn when measuring. Chest: measured around the widest part of the chest. Height: from top to toe. Waist: measured around the waist. Inside leg: measured from crotch to desired length.



CARING FOR YOUR SAFETY CLOTHING

WASHING GUIDE

Your protective clothes are regularly exposed to sweat and oil. These substances can reach the protective layer, reducing its functionality. This is why you need to wash your clothes regularly and in accordance with their labelling. If your clothes get heavily soiled, you should wash them as soon as possible after use.



Wash the garment regularly in accordance with the instructions on the inside labelling.



Machine wash. For temperature, see inside labelling.



If a repair to the outer material is being made, do not sew into the protective material as this can reduce its protective qualities.



Damaged outer material must be repaired immediately in order to prevent the protective material becoming damaged.



After washing, the garment should be stretched prior to drying. Air dry slowly.



Do not wash your protective clothes inside out. Also, do not bleach, dry clean, or tumble dry. Iron with low heat.



The garment should be scrapped and not used again if the protective material has been: damaged, incorrectly washed, or altered from its original shape.



Adhesive must not be used when carrying out repairs as it may affect the protective material and reduce its protective qualities.



Clean the garment immediately if it has been subjected to petrol, oil, grease or other flammable materials. Fire hazard!



Keep the garment away from sharp objects, acids, oils, solvents, fuels and animal droppings.



This product is no substitute for the safe operation of a chainsaw and does not provide total protection.

Cut-retardant apparel and materials are subject to a certain degree of aging. In professional logging, the maximum period of usage is considered to be about 12 months. In non-professional or occasional use, up to 5 years is considered acceptable.



TECHNICAL EXTREME PROTECTIVE CLOTHING

SLIM FIT



PROTECTIVE CLOTHING MADE FOR MAXIMUM PERFORMANCE

Husqvarna Technical Extreme is our ultimate range of protective clothing. Designed for full-time intensive use in the most demanding conditions. The Technical Extreme range has been developed solely to maximise your performance offering lightweight comfort, breathability and protection. With pre-bent knees, sleeves and a slim fit in durable stretch fabrics, the garments' smart, trade specific design enables maximum performance all day, every day.



ADJUST FOR PERFECT FIT

The clothing comes with hook and loop wrist and ankle strap as well as elastic drawstrings at the waist and at the lower bottom of the jacket, allowing you to adjust your gear for a perfect fit.



KEEP YOUR TROUSERS IN PLACE

Attach the boot hook on the inside of the cuff to your laces to keep them tightly secured.



BRACES INCLUDED

The trousers come with quality braces, so they stay safely and comfortably in place all day.



WELL VENTILATED

Openings at the yoke and the lower back provide excellent ventilation. Adjust airflow to your preference with zips located under the arms and at the back of the legs.



EASY-ACCESS POCKETS

The jacket has two pockets on the chest, one on the sleeve, and a dedicated first-aid pocket. The trousers feature two front pockets, two back pockets, a leg pocket and a double ruler pocket.



POCKETS FOR YOUR MOBILE PHONE

The chest pocket has a padded lining for your mobile phone, keeping it well protected and within easy reach at all times.

TECHNICAL EXTREME JACKET



Lightweight, breathable fabrics with pre-bent elbows and padded chest pocket, zipped sleeve pocket and velcro® adjustable cuffs.

The Technical Extreme Forest Jacket features high visibility fabrics and reflex bands in a slim fit.

582 33 10-46	92 - 96cm	Small
582 33 10-50	100 - 104cm	Medium
582 33 10-54	108 - 112cm	Large
582 33 10-58	116 - 120cm	X Large
582 33 10-62	124 - 128cm	XX Large

TECHNICAL EXTREME PROTECTIVE TROUSERS



Slim fit with lightweight stretch and Cordura® reinforcement in critical areas. With Tech-Knee and ventilation openings which provide protection and durability. With an adjustable waist, reflex tapes and Husqvarna logo on lower back leg.

*Certified to AS/NZS 4453.3
Class 1 (20 m/s). Type A*

594 99 68-46	81 - 90cm	Small
594 99 68-50	86 - 96cm	Medium
594 99 68-54	91 - 102cm	Large
594 99 68-58	96 - 105cm	X Large
594 99 68-62	101 - 114cm	XX Large



! TECH-KNEE TECHNOLOGY. EXCEPTIONAL PROTECTION AND MOBILITY

ADDED PROTECTIVE LAYERS

The Tech-Knee provides excellent saw protection, thanks to the additional fibre layers. This improves safety, especially in situations where the trousers fit tight to the knee.

WATER REPELLENT

The knee has a water-resistant inner lining and an outer layer made of water-repellent fabric, keeping water and moisture from penetrating the saw protection layers. This means you can work comfortably in wet conditions for longer.

PRE-BENT FABRIC

The complete knee, including the waterproof layers and saw protection fabric, has been pre-bent to ensure a perfect fit in all working positions.



TECHNICAL PROTECTIVE CLOTHING

SLIM FIT



PRE-BENT KNEES

The knees are pre-bent and have been tailored to offer maximum mobility without compromising safety.



ADJUST FOR PERFECT FIT

The clothes come with elastic drawstrings at the waist and at the lower bottom of the jacket, allowing you to adjust your gear for a perfect fit.




STRETCH FOR COMFORT

Where needed, the clothes are made of stretch fabric, allowing you to move freely, safely and comfortably.



WELL VENTILATED

Openings at the yoke and the lower back provide excellent ventilation. Adjust airflow to your preference with zips located under the arms and at the back of the legs.



REINFORCED WHERE YOU NEED IT

The knees, elbows, ankles and wrists have been reinforced to withstand tough use and make your clothes last longer.

PROTECTIVE CLOTHING MADE FOR MAXIMUM PERFORMANCE

The Husqvarna Technical range is designed and built to perform all day every day for professional users. Task-optimised design meets modern styling, while tough, light stretch fabrics, reinforced panels and pre-bent knees and elbows offer high wear resistance, durability and performance.



EASY ACCESS POCKETS

The jacket has two pockets on the chest and a dedicated first-aid pocket. The trousers feature two front pockets, two back pockets, a leg pocket and a double ruler pocket.



TECHNICAL JACKET



Tough yet lightweight four-way stretch polyester with pre-bent sleeves ensures comfortable movement and reduced effort. Ventilation openings on the yoke and lower back, padded chest pocket and zip sleeve adjustment. With Aramide and Cordura® reinforcements.

582 33 21-46	92 - 96cm	Small
582 33 21-50	100 - 104cm	Medium
582 33 21-54	108 - 112cm	Large
582 33 21-58	116 - 120cm	X Large
582 33 21-62	124 - 128cm	XX Large

TECHNICAL PROTECTIVE TROUSERS



With Aramide and Cordura® reinforcements in critical areas. Lightweight, stretch fabrics with pre-bent knees and ventilated back pockets with zips in a tight fit.

Certified to AS/NZS 4453.3 Class 1 (20 m/s). Type A

594 99 90-46	81 - 90 cm	Small
594 99 90-50	86 - 96cm	Medium
594 99 90-54	91 - 102cm	Large
594 99 90-58	96 - 105cm	X Large
594 99 90-62	101 - 114cm	XX Large

TECHNICAL ROBUST PROTECTIVE TROUSERS



For the highest durability, with robust Dyneema® fabric on the front and reinforcements on crotch in Aramide stretch and Cordura® around the lower leg. Tick protection around ankles and stretch fabric on trouser back ensures comfort and productivity.

Certified to AS/NZS 4453.3 Class 1 (20 m/s). Type A

594 99 86-46	82 - 85cm	Small
594 99 86-50	88 - 91cm	Medium
594 99 86-54	94 - 97cm	Large
594 99 86-58	100 - 103cm	X Large
594 99 86-62	106 - 109cm	XX Large

! DYNEEMA®

Dyneema® - The worlds strongest fibre. 15 times stronger than steel, yet floats on water and is as soft as silk.

180 G/M². 62% PA Cordura® / 38% Dyneema®.



TECHNICAL HI VIS WORK T-SHIRT - SHORT SLEEVE



Light and cool, with zipped front, extended back and easy-access zipped front pocket. Quick-Dry.

597 66 11-46	Small
597 66 11-50	Medium
597 66 11-54	Large
597 66 11-58	X Large
597 66 11-62	XX Large
597 66 11-66	XXX Large

TECHNICAL HI VIS WORK T-SHIRT - LONG SLEEVE



Light and cool, with zipped front, extended back and easy-access zipped front pocket. Quick-Dry.

597 66 12-46	Small
597 66 12-50	Medium
597 66 12-54	Large
597 66 12-58	X Large
597 66 12-62	XX Large
597 66 12-66	XXX Large



CLASSIC PROTECTIVE CLOTHING

REGULAR FIT



PROTECTING THE PROTECTION

The saw protection pad is completely covered, so saw dust doesn't compromise the performance of the fibre layers.




REINFORCED FOR DURABILITY

The lower part of the protection pad on the inside of the trousers is reinforced to protect the saw protection from wear and ensures high durability.



KEEP COOL

The jacket has a full-length front zip and an open yoke at the back. The ventilation zips at the back of the legs let you adjust the airflow.



ZIPPED POCKETS

For easy access to your belongings, the jacket comes with two zipped front pockets as well as a chest pocket.

PROTECTIVE PERFORMANCE CLOTHING BY HUSQVARNA

The Husqvarna Classic range is intended for occasional use and is designed with the domestic user in mind at an affordable cost. It offers the highest quality and reliability you expect from Husqvarna.

**CLASSIC JACKET**

Made from high-quality polyester/cotton twill with hi-viz orange panels and reflective logos. Cuff buttons allow a tighter fit when operating a chainsaw in cooler weather.

582 33 51-46	92 - 100cm	Small
582 33 51-50	100 - 108cm	Medium
582 33 51-54	108 - 116cm	Large
582 33 51-58	116 - 124cm	X Large
582 33 51-62	124 - 128cm	XX Large

CLASSIC PROTECTIVE TROUSERS

Made from tough polyester/cotton twill in a regular fit. The saw protection pad is reinforced on the lower inside to withstand wear and tear from boots. With ruler pockets, zipped front pockets and Husqvarna logo on lower back leg.

Certified to AS/NZS 4453.3
Class 1 (20 m/s). Type A

595 00 14-46	81 - 90 cm	Small
595 00 14-50	86 - 96cm	Medium
595 00 14-54	91 - 102cm	Large
595 00 14-58	96 - 105cm	X Large
595 00 14-62	101 - 114cm	XX Large

PRO CHAPS

Lightweight, breathable poly-cotton outer material with fully adjustable clip style leg straps and a velcro attached fabric layer on the rear lower leg offering protection against debris and snagging.

Certified to AS/NZS 4453.3
Class 1 (20 m/s).
86% Polyester, 10% Cordura,
4% Cotton

582 33 49-46	90cm	Short
582 33 49-50	95cm	Medium
582 33 49-54	100cm	Tall
590 90 07-01	Pro Chaps Belt Extender	

LIFESTYLE CHAPS

Featuring heavy duty 100% polyester outer fabric with a zip closure to the rear leg for a secure fit.

Certified to AS/NZS 4453.3
Class 1 (20 m/s).

529 28 41-01	90cm	Short
529 28 42-01	95cm	Medium
529 28 43-01	100cm	Tall
521 93 57-01	Lifestyle Chaps Belt Extender	

FIRE RETARDANT CHAPS

Ideal for Government, Utility and Emergency Services with increased protection from thermal and electrical hazard. Featuring 100% Fire Retardant Cotton outer fabric. (Available: AU ONLY)

Complies to AS/NZS 4453.3, AS/NZS 4824, EN531
Convective/Radiant Heat, EN533 Limited Flame Spread.
Class 1 (20 m/s).

574 84 19-03	90cm	Short
574 84 19-02	95cm	Medium
574 84 19-01	100cm	Tall

REPLACEMENT BUCKLE (PRO CHAPS)

580 60 80-01	20mm	Male
580 60 81-01	20mm	Female
580 60 78-01	50mm	Male
580 60 79-01	50mm	Female

BRACES

Extra wide with adjustable length for maximum comfort.



505 61 85-10 Suits Technical Extreme Trousers



505 61 85-00 With Metallic Clips



WORK GLOVES



GLOVES THAT MATCH YOUR REQUIREMENTS

Offering the latest in comfort, style and durability. Our gloves are designed for the most demanding tasks and a perfect fit.

CLASSIC LIGHT



A slim fit multi-use glove providing all-round protection and comfort. Goat leather palm with jersey fabric on the rear.

596 31 06-06	Size 6
596 31 06-07	Size 7
596 31 06-08	Size 8
596 31 06-09	Size 9
596 31 06-10	Size 10

FUNCTIONAL



Featuring goat leather double palm with foam laminated spandex on the rear and nylon neoprene knuckles, all providing added comfort and durability during long use.

596 30 94-08	Size 8
596 30 94-09	Size 9
596 30 94-10	Size 10
596 30 94-12	Size 12

TECHNICAL LIGHT



A comfortable glove made in reverse goat leather with an ultra-soft brushed suede. Excellent moisture protection and suitable for demanding work. Fabric back with reflective piping and neoprene wrist with Velcro enclosure.

596 30 92-08	Size 8
596 30 92-09	Size 9
596 30 92-10	Size 10

CHAINSAW MITT



Leather Chainsaw Mitt for forestry workers.

504 53 45-01	Chainsaw Mitt - Leather Available: NZ ONLY
--------------	-----------------------------------------------

CLASSIC



A durable multi purpose glove with Goat leather palm and spandex fabric on the rear. Featuring rubberized cuffs with cotton binding for a secure fit.

596 31 05-10	Size 10
--------------	---------

FUNCTIONAL WITH SAW PROTECTION



Class 0 (16m/s) chainsaw protection. Goat leather double palm with foam laminated spandex on the rear and nylon neoprene knuckles.

595 00 39-07	Size 7
595 00 39-08	Size 8
595 00 39-09	Size 9
595 00 39-10	Size 10
595 00 39-12	Size 12

TECHNICAL WITH SAW PROTECTION



Class 1 (20m/s) chainsaw protection. Goat leather palm with interlock jersey and grey foam. Laminated spandex fabric on the rear with comfortable seams and double thumb stitching.

595 00 34-08	Size 8
595 00 34-09	Size 9
595 00 34-10	Size 10

REINFORCED TRIGGER FINGER

Durable design with reinforced stitching preventing wear in high friction zones.

DESIGNED FOR COMFORT

Quality fabrics and materials are used for the ultimate in comfort and movability.



PRODUCT GUIDE

GLOVES	CLASSIC LIGHT	CLASSIC	FUNCTIONAL	FUNCTIONAL WITH SAW PROTECTION	TECHNICAL WITH SAW PROTECTION
Requirements	EN 388, Category II	EN 388, Category II	EN 388, Category II	EN388, Category II, EN 381-7	EN388, Category II, EN 381-7
Saw Protection	-	-	-	Class 0, 16 m/s	Class 1, 20 m/s
Water repellent goat skin, palm	•	•	•	•	•
Terry cloth thumb	-	-	-	-	•
Cuff	Lycra	Elastic	Knitted	Knitted	Neoprene
Velcro fastening	-	•	•	-	•



FOOTWEAR



PROTECTIVE FOOTWEAR FOR MAXIMUM COMFORT

To meet the daily requirements of the outdoor professional, we offer a range of footwear with modern design, quality and comfort.

PROTECTIVE BOOT - TECHNICAL LIGHT



All-weather protective boots providing comfort & durability. High quality leather with water repellent Sympatex® membrane, polyester lining and composite toe cap. Front & rear reinforcements, pull strap & convenient roller hooks for ease of adjustment.

Certified to: EN ISO 20345, S3, SRC, HRO

597 65 95-36	Size 3	597 65 95-42	Size 8
597 65 95-37	Size 4	597 65 95-43	Size 9
597 65 95-38	Size 5	597 65 95-44	Size 9 1/2
597 65 95-39	Size 5 1/2	597 65 95-45	Size 10 1/2
597 65 95-40	Size 6 1/2	597 65 95-46	Size 11
597 65 95-41	Size 7 1/2	597 65 95-47	Size 12

PROTECTIVE BOOT - CLASSIC WITH SAW PROTECTION



Class 1 (20m/s) chainsaw protection. Lightweight, robust leather boots with reinforced toe and heel. Featuring a steel toe cap, microfibre reinforcements and mesh lining for comfort and protection. The removable soles are washable.

Certified to: EN ISO 20344, 20345, 17249, SB

597 65 94-39	Size 5 1/2	597 65 94-44	Size 9 1/2
597 65 94-40	Size 6 1/2	597 65 94-45	Size 10 1/2
597 65 94-41	Size 7 1/2	597 65 94-46	Size 11
597 65 94-42	Size 8	597 65 94-47	Size 12
597 65 94-43	Size 9		

PROTECTIVE BOOT - FUNCTIONAL 24 WITH SAW PROTECTION



Class 2 (24 m/s) saw protection. With additional reinforcements to the upper, heel and sides of the boot, featuring steel toe cap, canvas lining, ankle protection, heel ridges and non-slip sole.

Can fit studs.

Certified to: EN ISO: 20344, 20345, 17249. SB, E, FO, SRA

595 00 28-37	Size 4	595 00 28-43	Size 9
595 00 28-38	Size 5	595 00 28-44	Size 9 1/2
595 00 28-39	Size 5 1/2	595 00 28-45	Size 10 1/2
595 00 28-40	Size 6 1/2	595 00 28-46	Size 11
595 00 28-41	Size 7 1/2	595 00 28-47	Size 12
595 00 28-42	Size 8		

PROTECTIVE BOOT - TECHNICAL WITH SAW PROTECTION



Class 2 (24m/s) saw protection. High comfort, low weight and extremely durable. Leather construction with Sympatex® membrane for the ultimate in water repellence, Vibram® Sole offering superior grip combined with a shock-absorbing middle sole, extra padding and support to the ankle, heel and top, making this boot the professionals choice. Extra reinforcement for protection and removable and washable foot bed.

Certified to: EN ISO 20344, 20345, 17249, WRU, SB, E

597 65 92-36	Size 3	597 65 92-43	Size 9
597 65 92-37	Size 4	597 65 92-44	Size 9 1/2
597 65 92-38	Size 5	597 65 92-45	Size 10 1/2
597 65 92-39	Size 5 1/2	597 65 92-46	Size 11
597 65 92-40	Size 6 1/2	597 65 92-47	Size 12
597 65 92-41	Size 7 1/2	597 65 92-48	Size 13
597 65 92-42	Size 8		

SIZE CHART

AU/NZ/UK	3	4	5	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11	11.5	12	13
US	5	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11	11.5	12	12.5	13	13.5
EU	36	37	38	39	40	40	41	41	42	43	43	44	44	45	45	46	47	48

CERTIFICATION DEFINITIONS

CATEGORY	SB	S1	S2	S3
Safety Toe cap 200-joule impact (falling objects) 15kN (crushing injuries)	X	X	X	X
A - Antistatic 100kΩ-100MΩ		X	X	X
E - Energy absorption heel 20-joules		X	X	X
WRU - Water Repellent Upper			X	X
Patterned Outer Sole				X
P - Penetration Resistance outer sole (Nails)				X

SRA - Slip-resistance on ceramic tile floor with Sodium lauryl sulphate solution
SRB - Slip-resistance on steel floor with glycerol
SRC - SRA + SRB
HRO - heat resistant Outer sole compound tested at 300°C
FO - Fuel & Oil resistant
CI - Cold Insulation
HI - Heat Insulation
Class 1 - Resistance to Chainsaw Speeds of 20m/s
Class 2 - Resistance to Chainsaw Speeds of 24m/s

FOOTWEAR ACCESSORIES



587 25 81-01 Boot Studs including stud key



579 30 10-01 Shoe Laces



HEAD, FACE & EAR PROTECTION



ARBORIST HELMET - SPIRE



Lightweight, ventilated helmet for the professional arborist. Features include:

- High-Vis reflective detailing for improved visibility.
- Quick-dry fabric padding on the interior of the helmet.
- Eco-leather, hypoallergenic 4-point chinstrap for improved comfort.
- Streamlined and optimised vents and maximised interior air space.
- Easy-to-remove and easy to wash interior padding.
- Sleek and stylish overall design for a professional look and feel.
- Quick-release visor for fast and easy on-the-job visor changes.
- Removable harness front loop and helmet attachment loop.

Certified to ANSI: Z891-2009 Class C, EN 1731:2006. Type 1



597 68 18-01 Arborist Helmet - Spire

598 86 23-01 Clear Visor

598 86 23-02 Tinted Visor

598 86 23-03 Mirror Visor

599 29 72-01 Earmuff Adaptor Kit

599 38 90-01 Visor Adaptor Kit

599 38 91-01 Spacer, Comfort Padding

599 47 17-01 Spacer, Extra-comfort Padding

YOUR HEAD, EYES AND EARS DESERVE PROFESSIONAL PROTECTION

Extensive research, technological product development as well as close, long lasting co-operation with professional users allows us to offer an excellent combination of ergonomically designed equipment.

FOREST HELMET KIT



Polycarbonate helmet, made in Australia, and supplied with hearing protection, sun peak and neck guard. Also includes UltraVision visor - which offers a 20% light reduction giving a clearer view. Ratchet adjustable harness provides better airflow, improved comfort and fit.

Certified to AS/NZS 1801:1997, Type 2

579 24 40-01 Forest Helmet Kit

579 24 41-01 Forest Helmet Only - with ratchet harness

! IMPORTANT!

Hard hat protection is divided into three categories:

Type I, Type II & Type III.

Type I helmets are for general industrial trade.

Type II helmets are intended for high temperature workplaces.

Type III helmets are intended for bushfire fighting.



HEARING PROTECTION - GARDEN



Developed for garden enthusiasts. Light, comfortable with an extra wide headband for secure fit. Equipped with a unique polyurethane insert providing maximum space. *Certified to EN 352-1, SNR 25dB(A) Class 4.*

510 19 95-01	Garden Earmuffs - Headband - Single
505 69 90-12	Garden Earmuffs - Headband - 10-pack
505 66 53-60	Garden Earmuffs with Plexi Visor
505 66 53-61	Garden Earmuffs with Mesh Visor

HEARING PROTECTION - FM (HEADBAND)



Providing superior sound quality and comfort with individually designed muffs for the left & right ear giving a perfect fit. Includes AUX Audio input for connectivity.

Certified to: EN352-1, EN352-6, EN352-8, SNR 27dB(A) Class 5

578 27 49-03	FM Radio Earmuff
578 40 23-01	Hygiene Kit for FM Radio Earmuff

HEARING PROTECTION - PREMIUM



Husqvarna Premium earmuffs are developed for optimal ergonomics and extended use. A unique design allowing for 20% pressure adjustment and is equipped with a polyurethane insert providing maximum space. Soft padding in the headband provides superior comfort. *Certified to EN 352-1, SNR 27dB(A) Class 5.*

505 66 53-04	Premium Earmuffs - Headband
505 66 53-48	Premium Earmuffs with Plexi Visor
598 75 01-01	Premium Earmuffs with Ultra Vision Visor

EYE PROTECTION



X-series feature scratch resistant lenses with extendable frames and angle adjustable lenses. Available in Clear, tint and yellow. Pro Goggles are designed for people who wear glasses with an anti-fog coated lense and soft rim for comfort. *Certified to EN 166, ANSI Z87+*

544 96 37-01	X-Series Protective Glasses - Clear
544 96 37-03	X-Series Protective Glasses - Sun
544 96 37-02	X-Series Protective Glasses - Yellow
544 96 39-01	Pro-Safety Goggles with Anti-Fog Lens

HELMET & HEARING PROTECTION REPLACEMENT PARTS



590 18 67-01	Harness - 6 Point, Terylene, Ratchet (Forest Helmet)
505 66 53-06	Neck Protector (Forest Helmet)
578 17 98-01	Sun Peak (Forest Helmet)
579 24 43-01	Replacement Sweat Band (Forest Helmet)
585 48 34-01	Chin Strap (Forest Helmet)
505 66 53-28	Visor Holder Assembly (Forest Helmet)
505 66 53-59	Visor Clips (Set) - Garden Earmuffs
505 66 53-42	Visor Clips (Set) - Premium Earmuffs
505 66 53-80	Visor Holder - Premium Earmuffs & Visor Assembly
505 66 53-81	Protection Cap - Premium Earmuffs & Visor Assembly
505 66 53-26	Hygiene Kit - Premium/Garden Earmuffs
578 40 23-01	Hygiene Kit - FM Radio Earmuff

EAR PLUGS



Disposable foam earplugs in a tapered shape for comfort. Convenient Pack size. 32dB(A) NRR.

589 49 30-02	25 Pairs
--------------	----------



Corded disposable foam earplugs in a tapered shape for comfort. Convenient Pack size. 32dB(A) NRR.

589 49 30-01	Corded - 3 Pairs
--------------	------------------

EYE PROTECTION - VISORS



Husqvarna's Visor range represent quality combined with a high level of protection. Our UltraVision visor provides only 20% light reduction for a clearer view and is less sensitive to water retention to the mesh.

Certified to: Plexi - EN166, Mesh - EN1731

574 61 35-01	Visor - Ultra Vision
599 67 50-01	Visor - Mesh Aluminium
599 67 51-01	Visor - Mesh Nylon
505 66 53-43	Visor - Plexi

HEARING PROTECTION (HELMETS)



FM Radio earmuffs provide excellent attenuation and sound quality. Husqvarna Premium earmuffs are developed for optimal ergonomics and extended use. The unique design allows for 20% pressure adjustment and is equipped with a polyurethane insert providing maximum space. Premium/FM *Certified to: EN352-1, FM - EN352-6, EN352-8, Class 5, SNR 27 dB(A)*

578 27 49-04	FM Radio Earmuffs with Adaptor	Arborist Helmet
505 66 53-25	Premium Earmuffs with Adaptor	Arborist Helmet
579 03 56-01	Premium Earmuffs with Adaptor	Forest Helmet



HARNESSES



ERGONOMICALLY DESIGNED HARNESSES FOR OPTIMISED LOAD DISTRIBUTION

Our harnesses effectively distribute the weight of the machine for the best possible balance. This makes the machine feel lighter, easier to manoeuvre and less strenuous during operation.

BALANCE XT™



Our most advanced harness with unique features including male and female setting and pivoting shoulder section. Weight is evenly distributed across the upper body for maximum comfort and efficiency.

578 44 98-01

BALANCE X™ & XB™



Advanced harness with outstanding weight distribution between the shoulders, chest and back. Features floating hip pad with quick release. Designed for use with larger brush cutters. Balance XB is equipped with an additional attachment allowing a battery holder accessory to be connected.

578 44 97-01 Balance X™
597 46 93-01 Balance XB™

DUO BALANCE 55



Ergonomically designed harness that distributes the load optimally between your shoulders, chest and back. Designed for use with smaller brush cutters.

537 27 57-01

DUO BALANCE 35B



Ergonomically designed harness specially developed for battery products. Distributes the weight of the machine optimally between your shoulders, chest and back.

537 27 57-05 For Battery Trimmers

STANDARD



Designed for lighter brush cutters and trimmers. Adjustable, padded shoulder straps. Simple and effective quick release on chest.

537 21 63-01

SHOULDER STRAP



Shoulder strap for smaller trimmers. Easy one hand removal.

537 21 62-01

	STANDARD	BALANCE 35B	BALANCE 55	BALANCE X™ / XB™	BALANCE XT™
Wide, ventilated back plate	-	●	●	●	●
Quick set adjustment points	●	●	●	●	●
Padded, ergonomics straps	●	●	●	●	●
Shock-absorbing hip pad	-	-	●	●	●
Flexible hip pad suspension	-	●	●	●	●
Wide, supporting hip belt	-	-	-	●	●
Quick release on hip pad	-	-	-	●	●
Grass and forest clearing mode	-	-	-	●	●
Height adjustable back plate	-	-	-	-	●
Flexible shoulder section	-	-	-	-	●
Multi-fit adjustment for men & women.	-	-	-	-	●

● = Available - = Not available

ARBORIST ACCESSORIES



The Husqvarna Arborist Essentials range of equipment provides essential safety for the Arborist and their ability to efficiently get the job done. Found in almost every arborists gear bag, these essential tools now provide the Husqvarna Dealer network a product assortment not heavily penetrated previously.

EYELET FOR CHAINSAW HANDLE



For arborists when using "rear-handle" chainsaws offering safe connection to a lanyard. Features an overload release.

578 07 71-01 Eyelet for Chainsaw Handle

ARBORIST WEDGE



A professional wedge designed for smaller felling cuts. Made from high quality, durable plastic, designed to fit onto strap or carabiner.

598 03 57-01 4" / 10cm

ROPE BAG



Large 28 Litre capacity holding up to 76m (250') of 1/2" rope. Cinch top closure and external daisy chains for storage and convenience.

596 93 63-11 Rope Bag

THROW LINE CUBE



Large 40cm/16" design effortlessly folding to a triangle keeping throw line clean and accessible for the next job. Two interior pockets and interior hook and loop strap and D-ring for quick line end recovery. 4-way stretch for preventing seam failures.

596 93 60-11 Throw Line Cube

THROW WEIGHT



Heavy-Duty 1,000 Denier Cordura fabric with box stitching for maximum durability and abrasion resistance. Solid steel ring with bottom transfer loop allowing quick carabiner attachment. Hi-vis colour provides excellent visibility.

596 93 58-11 14 oz

596 93 58-12 12 oz

596 93 58-13 10 oz

596 93 58-14 8 oz

THROW LINE



Dyneema® construction for high strength and low stretch. Urethane coating provides abrasion resistance, reducing friction and likelihood of tangling during storage. Hi-vis orange for improved visibility.

596 93 59-11 Throw Line

CHAINSAW STROP



Hook or carabiner for connecting the chainsaw to a harness or belt. A half twist in the loop end helps keep equipment hanging straight. Measures 0.5m when relaxed and 1.25m fully stretched out.

577 43 80-01 Chainsaw Strop

CHAINSAW HOOK - PETZL



Simple and robust tool connection with a stabilising clip for harness connection. Well designed gate to limit accidental snagging.

580 80 03-01 Chainsaw Hook - Petzl

CARABINER



Triple action release with increased gate clearance for maximum capacity. Double-locking gate and snag-free nose design provides safety and usability.

596 93 62-11 Carabiner - Oval

596 93 62-12 Carabiner - D-Shape

596 93 62-13 Carabiner - HMS/Pear Shape



FILING EQUIPMENT



A sharp chain is critical for a chainsaw to cut safely, efficiently and with precision. The Husqvarna range of filing equipment include all the necessary tools to provide professionals and occasional users alike, with premium equipment to work quicker and more efficiently, saving time and maximising productivity. With many smart product solutions such as our roller file guide, simplify sharpening whether at home or on the job.

STUMP VISE



This portable file vise is ideal for filing out on the job. Secures the chainsaw in position for safe and efficient filing. Made from forged steel.

505 66 52-56 Stump Vise

ROUND FILE - INTENSIVE CUT



High quality, round, Husqvarna saw chain files made in Germany. New upgraded design for up to 20% improved cutting performance and longer life.

597 35 48-01	4.0mm (5/32")	3-File Pack (Hangsell)
597 35 48-02	4.0mm (5/32")	12 Pack (Ctn)
597 35 55-01	4.5mm (11/64")	3-File Pack (Hangsell)
597 35 58-01	4.8mm (3/16")	3-File Pack (Hangsell)
597 35 58-02	4.8mm (3/16")	12 Pack (Ctn)
597 35 59-01	5.2mm (13/64")	3-File Pack (Hangsell)
597 35 59-02	5.2mm (13/64")	12 Pack (Ctn)
597 35 61-01	5.5mm (7/32")	3-File Pack (Hangsell)
597 35 61-02	5.5mm (7/32")	12 Pack (Ctn)

FLAT FILES



High quality, flat, Husqvarna saw chain files made in Germany. Single cut for precision filing.

505 69 81-60	6" - 6 Pack (Hangsell)
505 69 81-80	8" - 6 Pack (Hangsell)
653 00 00-37	Sharpforce™ Flat File 3/16", 7/32" (10 Pack)
653 00 00-38	Sharpforce™ Flat File 5/32" (10 Pack)

FILING KIT



Complete filing kit to simplify the work of keeping your chain sharp. Kit contains a file handle, combination gauge or a file gauge and depth gauge, two round files and one flat file.

580 68 75-01	1/4" (H00)
579 65 36-01	3/8" LP (H37)
505 69 81-38	3/8" LP (H35, H36)
587 80 67-01	3/8" LP (S93G X-CUT®)
595 00 46-01	.325" Mini Pixel (SP21G X-CUT®)
586 93 34-01	.325" Pixel (SP33G X-CUT®)
505 69 81-27	.325" Pixel (H30)
587 80 68-01	.325" (S35G X-CUT®)
505 69 81-25	.325" (H21, 22, 23, 25, 26, 28)
586 93 85-01	3/8" (C83, C85 X-CUT®, S85)
505 69 81-30	3/8" Chisel (42X, 45X, 46X, 47X, 48X, 50X)

FILE HANDLE



Patented file locking system to suit both round and flat files. Includes 25° and 30° angles and optimally shaped to assist correct filing techniques.

505 69 78-01 Ctn 20

COMBINATION FILE GUIDE AND DEPTH GAUGE



Hand filing doesn't get any easier. Specially designed file guide to suit the chain's geometry whereby side plate and cutting angles are set, allowing the user to focus only on their preferred top plate file angle. Combination file guides include depth gauge tool for added convenience.

580 68 74-01	1/4" (H00)
587 80 90-01	3/8" LP (S93G X-CUT®)
586 93 84-01	.325" Pixel (SP33G X-CUT®)
505 69 81-08	.325" Pixel (H30)
505 69 81-09	.325" (H21, 22, 23, 25, 26, 28)
595 00 47-01	.325" (SP21G X-CUT®)
587 80 91-01	.325" (S35G X-CUT®)
586 93 86-01	3/8" (C83, C85 X-CUT®)
505 24 35-01	3/8" Chisel (42X, 45X, 46X, 47X, 48X, 50X)
575 99 15-01	3/8" Semi-Chisel (H51, 52, 54, 58)

FILE GUIDE

505 24 37-01	3/8" LP (H35, H36, H37)
579 55 88-01	3/8" LP (H38)
505 69 81-15	.404" (H56S, 57, 64, 64S, 65, 66)

SHARPFORCE™ FILE GUIDE 2-IN-1



The ultimate in 2-in-1 sharpening convenience - filing both cutter and depth gauge at one time. User maintains excellent vision of chain during filing and file handle can be rotated for extended file life and reduced down time.

653 00 00-34	7/32"
653 00 00-35	3/16"
653 00 00-36	5/32"

DEPTH GAUGE



Get maximum performance from your chain with correctly filed depth gauges. Specially hardened with optimal depth settings for both hard and soft wood.

505 69 81-00	.325"
505 69 81-03	3/8" Low Profile
505 69 81-01	3/8" Standard
505 69 81-02	.404"

OUTDOOR TOOLS & ACCESSORIES



SAPPIE



Short handled sapper for moving logs. Polished metal head with sharply curved tip.

579 69 28-02 80cm / 1012g


WEDGES



Ideal for directional felling, log splitting and the prevention of timber pinching the saw during a cut. Made from quality materials to withstand high impact use.

577 25 92-01	Steel Twisted Splitting Wedge	7" / 18cm / 2000g
586 88 59-01	Aluminium Wedge	7" / 18cm / 550g
586 88 59-02	Aluminium Wedge	10" / 25cm / 1000g
598 03 57-01	Polyamide Wedge Arborist 4"	4" / 10cm
598 03 58-01	Polyamide Wedge	5.5" / 14cm
598 03 58-02	Polyamide Wedge	8" / 20cm
598 03 58-03	Polyamide Wedge	10" / 25cm
608 20 10-02	Polyamide Wedge	12" / 30cm

BREAKING BARS



Breaking bars provide extra leverage when felling trees and rolling logs. Forged steel for added strength and durability. Repeat heel and cant hook.

586 89 69-01 80cm
574 38 72-01 130cm

LIFTING HOOKS



Ideal for ergonomic lifting. Specially hardened steel with a treated surface for resistance to corrosion. Ground edges for a better grip.

574 38 74-01	Lifting Hook	
574 38 75-01	Lifting Tongs	20cm
574 38 76-01	Timber Tongs	30cm

MEASURING TAPES




Lightweight design. Marked on both sides available in 15m and 20m lengths.

Note: Full compliment of spare parts available via EPC.

586 99 75-01	Loggers Tape with release hook	15m
586 99 75-02	Loggers Tape with release hook	20m
505 69 73-01	Spare Tape	15m
505 69 71-05	Spare Tape	20m
505 69 73-04	Spare Tape with Scissor Hook	15m
505 69 72-10	Release Hook	

HANDSAWS



FOLDABLE HANDSAW



Ideal for a variety of sawing tasks. Handle has three lockable working positions with a comfort, non-slip grip. Hard chrome plated blade with impulse-hardened precision teeth and triple grinding.

967 23 64-01 Foldable Handsaw 200mm

TELESCOPIC POLE SHAFT & PRUNING SAW



Telescopic fibreglass pole to provide a reach of up to 5.0 metres. Curved blade design with hook and bark blade for efficient cutting.

502 42 73-01	Telescopic Pole Shaft 2.5-5.0m	
502 42 56-03	Locking Sleeve	31-35mm
502 42 52-05	Locking Sleeve	27-31mm
502 42 53-03	Wing Nut	
505 69 45-66	Pruning Saw with Bark Blade	33.3cm

FIXED CURVED HANDSAW



A rigid, curved saw blade for high cutting performance and smooth operation when cutting higher branches. Hard chrome plated blade with impulse-hardened precision teeth and triple grinding.

967 23 66-01 Fixed Curved Handsaw 300mm

FIXED STRAIGHT HANDSAW



Rigid straight saw blade ideal for cutting green and dry wood. Hard chrome plated blade with impulse-hardened precision teeth and triple grinding.

967 23 65-01 Fixed Straight Handsaw 300mm



SPRAYERS



Husqvarna's range of professional sprayers provide the long-term durability demanded by commercial and residential users alike. Quick and easy, tool-free repairs minimise downtime and superior ergonomics for maximum comfort.

BATTERY SPRAYER - 8L



With fast flow rates, consistent output pressure and no pumping required, this battery powered sprayer will save time and energy. Ideal for weed and pest control, spraying up to 90 litres per charge and only 1.5 hours to fully recharge the battery. Fitted with genuine Viton seals for superior chemical resistance and compatible with liquids and wettable powders. Perfect for the professional or everyday DIYer. Premium shoulder strap included. Maximum PSI - 20.

599 70 74-01 8L Battery Sprayer - 7.4V / 2.2Ah

BACK PACK SPRAYER - 15L



Professional 15L backpack sprayer designed to meet the spraying needs for any commercial and residential landscape application. Internal no leak pump design for safe use. Fitted with genuine Viton® seals, can be used with wettable powders and liquids for all applications. Easy access pump, change seals in just minutes with no tools. Pump handle can be stored vertically or horizontally and can be configured for left or right handed use. 150 max PSI; 25 psi pressure regulator delivers constant pressure and consistent spraying.

596 76 59-10 Professional 15L backpack sprayer



SUPERIOR COMFORT

Reduce fatigue with the deluxe comfort harness. Providing exceptional comfort with built in lumbar support and padded shoulder straps and waist belt. Height adjustable chest strap for a perfect fit. (15L only)



REINFORCED PVC HOSE

Durability and ease of use is guaranteed with an extended 1.2m reinforced hose and integrated strain relief to reduce over-bending or kinking.



COMMERCIAL GRADE SHUT-OFF

Featuring internal brass poppet and pin and a 635mm stainless steel wand with poly liner for superior chemical resistance. Comfortable grip; lock-on feature; and easy-to-clean, in-line filter.



MULTIPLE NOZZLES

The Husqvarna sprayer range come standard with a brass adjustable nozzle for cone, mist or stream, and low and high volume flat fans. Also accepts TEEJET® nozzles.

MANUAL SPRAYER - 8L



Versatile sprayer perfectly sized for smaller jobs or spot treatment applications. Durable compression pump with a steel rod and large, comfortable pump handle. Fitted with genuine Viton® seals for superior chemical resistance. The pressure release valve allows the manual release of pressure for safe emptying prior to opening the tank and will also relieve excess pressure to prevent over-pressurising. Tear-drop shaped tank provides low center of gravity for maximum stability, and the vertical wand storage with protective nozzle storage assist in securing the wand to the tank. Maximum PSI - 42 PSI.

596 76 61-10 Manual Sprayer - 8L

SPRAYER REPLACEMENT PARTS



596 94 64-01	Deluxe Harness	15L Back Pack Sprayer
596 94 62-01	Shutoff/Hose Assembly	15L Back Pack Sprayer
596 94 65-01	O-Ring Kit	15L Back Pack Sprayer
596 94 73-01	Wand Storage Clip	15L Back Pack Sprayer
596 94 74-01	Wand/Shutoff Kit	15L Back Pack & 8L Sprayers
596 94 75-01	Shutoff Service Kit	15L Back Pack & 8L Sprayers
596 94 76-01	Nozzle Kit	15L Back Pack & 8L Sprayers
596 94 79-01	Pump Seal Kit	8 Litre Manual Sprayer (Manual)
596 94 80-01	Shutoff/Hose Assembly	8 Litre Sprayers
599 72 62-01	AU/NZ Charger	8 Litre Battery Sprayer
529 69 19-01	Premium Carry Strap	8 Litre Sprayers
596 94 77-01	Nozzle Kit	1.5 Litre Hand-held Sprayer

HANDHELD SPRAYER - 1.5L



Perfect for spot treatments and controlled spraying around the home or garden. The pump is built into the handle and features a pressure release valve allowing you to safely remove the internal pressure prior to opening the sprayer to refill. Fitted with a weighted dip tube allowing spraying at multiple angles and full utilisation of chemical in the tank. Convenient oversized opening for easier filling with less spill. Maximum PSI - 30 PSI

596 76 61-12 Handheld Sprayer - 1.5L





AXES



From kindling to block splitting, camping to felling, the axe is an invaluable tool at home or the forest. Each Husqvarna axe is constructed from premium quality materials for high impact durability.

AXES - FIBER-REINFORCED COMPOSITE SHAFT



Husqvarna fiber-reinforced composite shaft axes feature high quality steel heads with anti-friction coating for optimised cutting and splitting performance. Perfect balance and weight distribution through advanced design and head geometry for maximum swing power. Secure handling with soft-grip and curved end handle design ensures a firm grip and prevent slipping.

580 76 10-01	Universal Hatchet H900 - 900g / 34cm
580 76 11-01	Universal Axe A1400 - 1400g / 60cm
580 76 12-01	Universal Axe A2400 - 2400g / 70cm
580 76 13-01	Splitting Axe S1600 - 1400g / 60cm
580 76 14-01	Splitting Axe S2800 - 2800g / 70cm

AXES - HICKORY SHAFT



Husqvarna wooden handle axes are hand forged featuring high quality, precision ground Swedish steel and premium hickory shafts. Each axe comes with a grain-leather guard for protection.

576 92 64-01	Hatchet - 600g / 37.5cm
576 92 65-01	Carpenter Axe - 1000g / 50cm
576 92 62-01	Limbing Axe - 850g / 65cm
576 92 68-01	Small Splitting Axe - 900g / 50cm
576 92 67-01	Splitting Axe - 1500g / 75cm
576 92 66-01	Sledge Axe - 2500g / 80cm
576 92 67-02	Rep. Hickory Handle - Splitting Axe (75cm)
576 92 66-02	Rep. Hickory Handle - Sledge Axe (80cm)

GRINDSTONE



Silicone carbide grindstone ideal for sharpening axes. Dual grain (fine & coarse) and can be used wet or dry. Comes with a leather pouch.

599 67 46-01	Grindstone
--------------	------------




High density, hand forged, precision ground Swedish Steel for the ultimate in durability.



Hickory Handle. One of the worlds best natural timbers with strength and durability perfectly suited for high shock resistance and absorbing energy.



Anti-friction coating provides higher timber penetration. Rear hammer design for effective use with splitting wedges (not steel wedges).



Fiber-reinforced polyamide handle with soft-grip for optimal strength and shock absorption.



Strike Plate for maximum durability in the event of miss-hits.

TOOL BELT FLEXI



Developed for Forestry, Parks maintenance and remote Emergency Services. A flexible and ergonomic tool belt with excellent weight distribution, one-handed buckle release and intuitive and easy to personalise attachments. Ergonomically designed, fully adjustable harness with padded shoulder straps for comfort. All components are available separately.

1

2

3

4

5

6

7

8

9

10

11

12

13

14


1	593 83 74-01	Tool Belt Flexi
2	593 83 76-01	Harness - Suits Tool Belt Flexi and Battery Belt
3	593 83 83-01	Combi Holster
4	593 83 83-02	Combi Holster / Wedge Pocket - holds hook / tong and wedge
5	593 83 88-01	Wedge Pocket - holds 3 wedges
6	593 83 91-01	Measure Tape holder
7	593 83 92-01	Universal Bag

8	593 83 94-01	File and Combi Tool holder
9	593 83 95-01	Spray Can holder
10	596 25 29-01	Accessory Bag
11	593 83 96-01	Universal Hook / Tool Carrier
12	593 83 97-01	Tool Holder - holds axe or impact bar
13	593 83 98-01	Crayon Holder
14	593 97 55-01	Graphite Crayon - 12 pieces



HANDHELD PRODUCT ACCESSORIES



CARRY CASE - HARD



Stackable hard case design. Double wall construction. Suitable for models up to 572XP. Standard 20" scabbard.

502 67 49-01 Carry Case - single

531 30 08-72 Carry Case - 4 Pack

CHAINSAW SOFT SIDED BAG



Suitable for chainsaws up to 90cc (max bar length 18") Additional pockets for accessories.

597 41 83-01 Chainsaw Soft Sided Bag

TOOL BAG



A versatile tool bag with multiple zones and the capacity to efficiently organise a large quantity of tools. Ideal for the professional or home owner. Heavy duty coated 600D, water resistant material. Large tooth zipper for easy access. Exterior and interior webbing reinforcement. Padded, adjustable shoulder strap and comfort handles. Exterior and interior pockets. Interior zippered pocket for small item storage.

598 59 42-01 Tool Bag

GUIDE BAR COVERS



501 83 44-09 13-16"

501 83 44-11 18-22"

501 83 45-04 24-28"

537 07 22-01 30-42"

GUTTER EXTENSION KIT TO SUIT BLOWERS



Extension kit for cleaning gutters.
Tube length: 3m
Suits models 125BV, 125BVx

952 71 19-18 Gutter extension kit

FUEL & OIL STORAGE



COMBI CAN - 5 + 2.5L



Designed to allow refuelling without splash or waste. Providing an optimised fuel/chain oil ratio storage (5.0L / 2.5L) with an integrated toolbox. Approved in accordance with UN recommendations.

580 75 42-01	Combi Can 5 + 2.5L
586 11 04-01	Fuel Spout - Non Spill
586 11 05-01	Oil Spout - Non Spill
586 11 07-01	Oil Spout - Quick-Pour
587 61 65-01	Cap
588 19 95-01	Sealing Ring

FUEL CAN - 15L



15L Fuel can for wheeled machines featuring three ergonomically positioned handles and specially designed spout. Easy to lift, carry and refuel, without any splash or waste.

580 75 45-01	Fuel Can 15L
586 11 06-01	Fuel Spout - Non Spill
587 61 66-01	Cap

FUEL CAN - 6L



6L fuel container with overflow protection. No splash or waste. The conveniently designed spout is reversible for longer term storage or transportation.

505 69 80-01	Fuel Can 6L
505 69 80-02	Fuel Spout - Non Spill
505 69 80-03	Fuel/Oil Spout - Quick-Pour
505 69 80-41	Fuel Spout - Flexible Pour
505 69 80-11	Cap
505 69 80-05	Sealing Ring

METAL FUEL CAN - 5L



Metal 5 Litre Fuel Can with pouring spout.
Available in Australia Only

502 67 62-01	Ctn 6
587 30 63-01	Cap



OILS & LUBRICANTS



2-STROKE OIL (XP SYNTHETIC)



Husqvarna's fully synthetic and biodegradable (64% acc OESD301B) XP Synthetic 2-stroke oil is developed for working in extreme conditions under high load. XP Synthetic is a low smoke oil providing maximum lubricity, a cleaner engine and less piston deposits.

Recommended for all Husqvarna 2-stroke products, especially high-powered engines over 55 cm³.

578 03 70-03	1 Litre - Ctn 12
578 03 71-03	4 Litre - Ctn 3
578 18 00-03	10 Litre

2-STROKE OIL (HP)



Formulated to work with low quality fuels. HP is a high quality, mineral /synthetic blended two-stroke oil giving a cleaner running engine with maximum protection for all critical engine components. Ideal for heavy use and extreme weather conditions.

587 80 85-11	1 Litre - Ctn 12
587 80 85-20	4 Litre - Ctn 4
587 80 85-30	20 Litre

2-STROKE OIL (LS+)



Low Smoke+ oil is a mineral /synthetic blended two-stroke oil with excellent lubrication properties. Producing very little smoke emission, LS+ is ideal for use in products often used in densely built up areas. The LS+ formulation reduces engine temperature for extended engine life.

578 18 03-02	0.1 Litre - Ctn 25
578 03 70-02	1 Litre - Ctn 12
578 03 71-02	4 Litre - Ctn 3
578 18 00-02	10 Litre

4-STROKE OIL (HUSQVARNA SAE30)



High-quality 4-stroke oil for lawnmowers. Specifically formulated for warm weather providing excellent protection against wear and corrosion.

577 41 92-01	0.6 Litre - Ctn 12
577 41 97-01	1.4 Litre - Ctn 12

4-STROKE OIL (10W/30)



A premium multi-grade engine oil specially designed for use with 4-stroke, air cooled engines. Specification: SAE10W30, API SM (Petrol) API CF-4 (Diesel).

576 90 19-01	1 Litre - Ctn 12
576 90 19-02	4 Litre - Ctn 4
576 90 19-03	20 Litre

TRANSMISSION OIL (10W/30)



Premium 10W/30 transmission oil with friction modifier. Specially developed for Husqvarna's AWD Rider transmissions, providing lubrication stability even in extreme temperature environments.

597 68 70-04	With Friction Modifier - 4 Litre
--------------	----------------------------------



X-GUARD BIO BAR & CHAIN OIL



X-GUARD Bio Chain oil from Husqvarna is a premium bio chain oil, based on renewable raw materials. X-GUARD is recommended as a year-round chain oil with a top-class lubrication and tackiness. Due to the tackiness, the oil consumption can be reduced without any risk for increasing wear. It also gives minimal amounts of residues on the machine. X-GUARD has an extremely high viscosity index, which means that the viscosity varies less with temperature and the chain oil working excellent also in cold conditions. X-GUARD Bio Chain oil exhibits very good anti-corrosive properties that gives very good storage stability after use of products. The product is readily biodegradable in soil and water, non-toxic for human or the environment. EU Ecolabel certification makes it simple to know that the product is both environmentally friendly and good quality.

596 45 73-01	1 Litre - Ctn 12
596 45 73-02	5 Litre - Ctn 4
596 45 73-03	10 Litre
596 45 73-04	20 Litre

MINERAL BAR & CHAIN OIL



Husqvarna Mineral Bar and Chain Oil is specially suited to high-performance chainsaws. High quality additives improve lubrication reducing chain and bar wear. Ideal formulation to facilitate use in all weather conditions.

579 39 60-01	1 Litre - Ctn 12
579 39 61-01	5 Litre - Ctn 4
579 39 62-01	20 Litre

AIR FILTER OIL



Air filter oil provides optimal air flow and efficiently traps particles in the filter, keeping the engine running cleaner and reducing wear.

531 00 92-48	1 Litre
502 71 89-01	Air Filter Spray - Motorex 655 476gm - 750ml - Ctn 12
504 70 53-01	Air Filter Spray - Motorex 655 476gm - 750ml - Ctn 4

GREASE GUN - 60ML REFILLABLE



For lubricating nose wheel and needle bearings.

595 01 17-01	Grease Gun - 60mL - Refillable
503 62 12-01	Bearing Grease - 40g Sachet

MULTI PURPOSE GREASE - 225G



Multi-purpose grease providing excellent corrosion protection and load carrying capacity. Suitable for general greasing purposes.

502 51 27-01	Multi Purpose Grease - 225g
--------------	-----------------------------

MULTI ADVANCED GREASE - 400G



A high quality grease for hedge trimmer gear drives and applications exposed to intense water washout. Superior lubrication and anti-corrosive properties for maximum life.

588 81 48-01	Multi Advanced Grease - 400g
--------------	------------------------------

ECO BEVEL GEAR GREASE



A proven bevel gear grease to lubricate the transmission and absorb axial forces. Biodegradable.

503 97 64-01	100g Eco Bevel Gear Grease
--------------	----------------------------



CUTTING EQUIPMENT



All Husqvarna trimmer heads, trimmer lines and blades are designed to do more than simply cut. Constructed from the highest of quality materials, combined with smart design solutions, offer superior performance, efficiency and safety - irrespective of whether you are working around the house, on the farm or on the job.

TRIMMER HEAD TAP-N-GO™



Easy load design and Tap-N-Go™ functionality. X variants feature a free-wheeling bump knob with ball bearing being ideal for commercial and heavy application.

966 67 44-01	T25 Universal, Arbors - 3/8" R, 3/8" L, M10
589 87 32-01	T25B, M8 - 100 Series Battery
579 29 40-03	T25B, M10 - 500 Series Battery
578 44 94-01	T35 Universal, Arbors - M10x1.25L, M12x1.75L, M10x1.0L, M10x1.25L, M8x1.25L
578 44 65-01	T35X, M10
578 44 66-01	T35X, M12
578 44 68-01	T45X, M12
578 44 70-01	T55X, M12

TRIMMER HEAD - MANUAL



The line is fed manually by pushing the line feed button and pulling the cord to the desired length therefore minimising waste. SII trimmer head is extremely robust for commercial use. Free-wheeling skid plate with ball bearing. All manual feed heads include provision for external loading of line.

578 44 74-01	S35, M10
578 44 76-01	S35, M12
578 44 78-01	SII, M12

ALLOY HEAD - FIXED LINE



Robust construction with optimal line locking and low cutting height. Quick and easy line loading. Requires blade fitting hardware.

578 44 82-01	Aluminium Fixed Line Head (1pk)
--------------	---------------------------------

TRIMMER HEAD - ERGOFEED™ (E35B)



Fits battery-powered brushcutters equipped with the ErgoFeed™ feature. The trimmer line is fed with a simple push of a button on the handle. The ErgoFeed™ trimmer head is designed with a minimum of mechanical parts which makes it very robust and durable.

594 72 70-01	Trimmer Head - E35B Suits Battery Brush Cutter with ErgoFeed
--------------	-----------------------------------------------------------------

TRIMMER HEAD - TRI-CUT



Robust plastic blades ideal for coarser grass and terrain with stones. Highly visible, replaceable plastic flails which are safe to use around trees and bushes.

578 44 91-01	M10
578 44 93-01	M12

REPLACEMENT PLASTIC BLADES:	
531 01 77-14	255mm - Pkt 6
531 01 77-15	300mm - Pkt 6

PRODUCT USER GUIDE Use the guide below to help you select the best trimmer head for your needs.

	RECOMMENDED ENGINE DISPLACEMENT	CORD FEED	DURABILITY	USE	LINE SIZE	LINE CAPACITY	THREAD
T55X	55 cm ³	Semi automatic	●●●●●	Heavy grass / Grass	3 - 4mm	10 - 6m	M12
T45X	45 cm ³	Semi automatic	●●●●●	Heavy grass / Grass	2.7 - 3.3mm	9 - 7.5m	M12
T35X	25 - 35 cm ³	Semi automatic	●●●●●	Grass	2.4 - 2.7mm	8.5 - 7m	M10 / M12
T35	25 - 35 cm ³	Semi automatic	●●●●○	Grass	2.4 - 2.7mm	8.5 - 7m	M10 / M12 / Univ.
T25	21 - 25 cm ³	Semi automatic	●●●●○	Grass	2 - 2.4mm	6 - 5m	3/8" R / M10
T25B	Battery	Semi automatic	●●●●○	Grass	2 - 2.4mm	6 - 5m	M10 / M8
T25C	21 - 25 cm ³	Semi automatic	●●●●○	Grass	2 - 2.4mm	5 - 4m	3/8" R / M10 / M8
S35	25 - 35 cm ³	Manual	●●●●○	Heavy grass / Grass	2.4 - 2.7mm	8 - 7m	M10 / M12
SII	45 - 50 cm ³	Manual	●●●●●	Heavy grass / Grass	2 - 3.3mm	9 - 5m	M12
ALLOY	All displacements	Manual	●●●●●	Heavy grass / Grass	2 - 3.3mm	-	N/A
TriCut	All displacements	-	●●●●●	Heavy grass / Grass	-	-	M10 / M12

**OPTI ROUND****All-round general purpose line.**

Ideal for a wide range of applications. Excellent wear resistance and cutting performance

597 66 88-10	Ø2,0mm x 15m	Donut Green
597 66 88-11	Ø2,0mm x 130m	Donut Green
597 66 88-20	Ø2,4mm x 15m	Donut Orange
597 66 88-21	Ø2,4mm x 90m	Donut Orange
597 66 88-22	Ø2,4mm x 240m	Spool Orange
597 66 88-30	Ø2,7mm x 12m	Donut Yellow
597 66 88-31	Ø2,7mm x 70m	Donut Yellow
597 66 88-32	Ø2,7mm x 240m	Spool Yellow
597 66 88-40	Ø3,0mm x 10m	Donut Red
597 66 88-41	Ø3,0mm x 56m	Donut Red
597 66 88-42	Ø3,0mm x 240m	Spool Red
597 66 88-50	Ø3,3mm x 75m	Spool White
597 66 88-51	Ø3,3mm x 240m	Spool White
597 66 88-60	Ø4,0mm x 80m	Spool Black
597 66 88-61	Ø4,0mm x 240m	Spool Black

WHISPER TWIST**Ideal for battery products.**

Designed for residential and professional use. A unique profile to maximise performance and durability with reduced noise and vibrations.

597 66 91-10	Ø2,0mm x 15m	Donut Orange/Black
597 66 91-11	Ø2,0mm x 112m	Donut Orange/Black
597 66 91-20	Ø2,4mm x 12m	Donut Orange/Black
597 66 91-21	Ø2,4mm x 77m	Donut Orange/Black
597 66 91-22	Ø2,4mm x 210m	Spool Orange/Black
597 66 91-30	Ø2,7mm x 10m	Donut Orange/Black
597 66 91-31	Ø2,7mm x 60m	Donut Orange/Black
597 66 91-32	Ø2,7mm x 210m	Spool Orange/Black
597 66 91-40	Ø3,0mm x 9m	Donut Orange/Black
597 66 91-41	Ø3,0mm x 48m	Donut Orange/Black
597 66 91-42	Ø3,0mm x 210m	Spool Orange/Black

CORE CUT - PENTA**Fits all standard trimmer heads.**


Dual Pro Polymer material with a flexible inner core and durable anti-weld surface made to last.

597 66 92-10	Ø2,4mm x 15m	Donut Orange/Translucent
597 66 92-11	Ø2,4mm x 90m	Donut Orange/Translucent
597 66 92-12	Ø2,4mm x 240m	Spool Orange/Translucent
597 66 92-20	Ø2,7mm x 12m	Donut Orange/Translucent
597 66 92-21	Ø2,7mm x 70m	Donut Orange/Translucent
597 66 92-22	Ø2,7mm x 240m	Spool Orange/Translucent
597 66 92-30	Ø3,0mm x 10m	Donut Orange/Translucent
597 66 92-31	Ø3,0mm x 56m	Donut Orange/Translucent
597 66 92-32	Ø3,0mm x 240m	Spool Orange/Translucent
597 66 92-40	Ø3,3mm x 120m	Spool Orange/Translucent
597 66 92-41	Ø3,3mm x 240m	Spool Orange/Translucent

GRASS BLADES*

High quality steel for dense, coarse grass. Not for woody growth.

578 44 37-01	Grass - 4 Tooth, ø 255mm, 1"
578 44 40-01	Grass - 8 Tooth, ø 255mm, 1"
578 44 49-01	Multi - 3 Tooth, ø 255mm, 1"
578 44 45-01	Multi - 3 Tooth, ø 300mm, 1"
578 44 44-01	Multi - 3 Tooth, ø 350mm, 1"
578 44 47-01	Multi - 4 Tooth, ø 275mm, 1"

SAW BLADES*

Efficient and durable. Specially designed cutting teeth providing superior cutting performance and reduced risk of the blade getting pinched in the wood.

578 44 31-01	Maxi - 26 Tooth, ø 200mm, 1"
578 44 25-01	Scarlett - 22 Tooth, ø 200mm, 1"
578 44 27-01	Scarlett - 24 Tooth, ø 225mm, 1"

* Note! Grass and saw blades also available with 20mm center. Please see EPC for PNC's or contact Customer Service.

FILE GAUGE / SETTING TOOL

For clearing saw blades.

505 69 81-20	File Gauge / Setting Tool
--------------	---------------------------

J-HANDLE KIT

537 04 85-01	129LK, 300/500 Series
587 37 50-01	520iLX / 536LiLX

SHREDDER BLADE

Simplifies effective cutting and shredding of dense, tough grass. Contains guard, blade, holder, bracket and support flange.

544 84 29-01	Kit - 345FR, 545RXT
589 77 53-01	Blade Only - 1"

SUPPORT CUP

Effective prevention from the blade digging into the ground. Available in fixed and free-wheeling on bearings for high use commercial application and long life.

503 89 01-01	M10
503 89 01-02	M12
503 90 18-02	20mm
502 15 70-02	With Bearing - M12










TRIMMER / BRUSHCUTTER CUTTING EQUIPMENT GUIDE

MODEL	HARNESS	GRASS
115iL	H1	A8 + 15
122C	H1	A5 + 2
129C	H1	A7 + 2
129LK	H1	B4 + 3 1 2 3 7 10 11
129R	H2	B4 + 3
322L	H1	A1 + 1 3 12
325iLK	H1	A9 + 1 3 4 6 7 12 1 2 3 7 10 11
520iLX	H1	A6 + 14
520iRX	H4	A6 + 14
522L	H1	A1 + 1 3 4 6 7 12
524LK / 525RJD	H1	A1 B1 + 1 3 4 6 7 12 1 2 3 7 10 11
525LST	H1	A1 B1 + 1 3 4 6 7 12
525RS / 524R	H3	A1 B1 + 1 3 4 6 7 13
535LK	H1	A1 B1 + 1 4 6 7 8 1 2 3 7 10 11
535RXT	H6	A3 B2 + 1 5 8 9 11
535iRXT	H5	A10 + 16
545RXT	H7	A2 B3 + 9 10 11 13 C1 + 13
555FX	H7	A4 + 10 11
















Reference numbers outlined in bold are supplied with the machine as standard equipment.

TRIMMER GUARDS 	COMBINATION GUARDS 	GRASS BLADE GUARDS 	SAW BLADE GUARDS 	SUPPORT CUPS 	J- HANDLE KITS 	HARNESS 
A1 588 54 37-01	B1 588 11 79-01	C1 537 28 85-01	D1 544 04 42-01 200 mm (adapter incl)	E1 503 89 01-01 M10	F1 537 04 85-01 incl. B1 E1 2	H1 537 21 62-01
A2 503 95 43-01	B2 537 33 16-01	C2 502 46 49-01	D2 537 31 09-02 200 mm (adapter incl)	E2 503 90 18-02 (20 mm / 1")	F2 587 37 50-01 Blade attachment hardware ONLY. Incl. E1	H2 537 21 63-01
A3 537 34 94-03	B3 544 46 43-01	C3 590 88 00-01	D3 502 30 36-01 200 mm	E3 544 38 02-01 M12 (20 mm/1") Ball-bearing		H3 537 27 57-01
A4 502 46 50-01	B4 580 44 66-06		D4 574 50 67-02 225 mm	E4 503 89 01-02 M12		H4 537 27 57-05
A5 574 47 95-01			D5 501 32 04-02 200 mm (adapter incl)			H5 597 46 93-01
A6 577 01 83-05						H6 578 44 97-01
A7 580 44 66-10						H7 578 44 98-01
A8 585 33 92-01						
A9 597 01 62-01						
A10 590 88 01-01						



COARSE GRASS	BUSHES AND TREES	HARD SURFACES
F1	4 5 6 12 13	8 9
B4 + E1 + 1 2		
F2 + 2 3	5 6 12 13	
F2 + 1 2 3		
1 2 3		
B1 + E1 + 1 2 3	D1 + 7	
F1	D1 + 7 4 5 6 12 13	8 9
B1 + E1 + 1 2 3	D1 + 7	
B1 + E1 + 1 2 3	D1 + 7	
B1 + E1 + 1 2 3	D1 + 7 4 5 6 12 13	8 9
B2 + E4 + 3 4 6	D5 + 7	
C3 + E4 + 1 2 3 4 6		
B3 C1 + E2 E3 + 3 4 6	D2 + 7	
C2 + E2 E3 + 4 5 6	D3 + 7 D4 + 8	

TRIMMER HEADS			BLADES			ATTACHMENTS		
								
1 578 44 82-01 Alloy (Fixed)	9 578 44 68-01 T45X M12 (Tap n Go)		1 578 44 40-01 Grass 255-8 (1")			1 967 90 85-01 RA 850 - RECIPROCATOR	9 967 29 67-01 BR 600 - BRISTLE BRUSH	
2 966 67 44-01 T25 (R) (Tap n Go)	10 578 44 70-01 T55X M12 (Tap n Go)		2 578 44 37-01 Grass 255-4 (1")			2 967 29 44-01 SR 600-2 - SWEEPER	10 967 29 69-01 DT 600 - DETHATCHER	
3 966 67 44-01 T25 (L) (Tap n Go)	11 578 44 78-01 SII M12 (Manual)		3 578 44 49-01 Multi 255-3 (1")			3 967 92 55-04 ECA850 - EDGER	11 967 29 42-01 CA 230 - CULTIVATOR	
4 578 44 74-01 S35 M10 (Manual)	12 578 44 91-01 Tri-cut M10		4 578 44 47-01 Multi 275-4 (1")			4 596 31 65-01 HA200 - HEDGE TRIMMER	12 967 68 82-01 PAX 730 - POLE SAW	
5 578 44 76-01 S35 M12 (Manual)	13 578 44 93-01 Tri-cut M12		5 578 44 44-01 Multi 350-3 (1")			5 596 31 66-01 HA860 - HEDGE TRIMMER	13 967 68 83-01 PAX 1100 - POLE SAW	
6 578 44 63-01 T35 M10 (Tap n Go)	14 579 29 40-03 T25B M10 (Tap n Go)		6 578 44 45-01 Multi 300-3 (1")			6 967 29 71-01 EX 780 - EXTENSION		
7 578 44 65-01 T35X M10 (Tap n Go)	15 589 87 32-01 T25B M8 (Tap n Go)		7 597 46 82-01 Multi 200-22 (1")			7 966 83 91-01 TA 850 - TRIMMER		
8 578 44 66-01 T35X M12 (Tap n Go)	16 594 72 70-01 E35B IRTX		8 597 46 89-01 Scarlett 225-24 (1")			8 967 28 64-01 BA 101 - BLOWER		



CHAINSAW BARS AND CHAINS

GIVE YOUR CHAINSAW EXTRA PERFORMANCE

Husqvarna Bars and Chains are built to the same high standard as our chainsaws. Combining state of the art technology with high quality materials, Husqvarna cutting equipment development is based on the demands of forestry professionals. The new range of X-CUT® chain and X-FORCE™ bars are engineered to maximise the chainsaws power, efficiency and cutting performance.



HUSQVARNA FOR YOUR HUSQVARNA

Husqvarna manufactured bars and chains have been developed to work optimally with our chainsaws, increasing output and cutting efficiency.



EASY MAINTENANCE

Our bars and chains offer you ease of maintenance, longer product lifetime and minimal downtime.



MORE EFFICIENT

Rigorous testing has shown that Husqvarna X-CUT® chain outperforms the competition.



TOUGHER & MORE DURABLE

Improved durability across our range of bars and chain effectively extends product lifetime reducing overall cost of ownership.



MADE IN SWEDEN

Our X-CUT® chains have been researched, designed and manufactured in our state of the art factory in Huskvarna, Sweden.



HUSQVARNA X-CUT® SP33G

Semi-chisel Pixel .325" 1.3mm (.050") chain developed and manufactured by Husqvarna. Low kick guard, narrow kerf, low stretch and bumper drive link. Developed for demanding professional use on mid-size chainsaws, up to 55cc.



HUSQVARNA X-CUT® SP21G

SP21G is a semi-chisel .325" Mini Pixel 1.1mm (.043") chain especially developed to increase the cutting speed and efficiency for professional use battery chainsaws. The chain is energy efficient and the optimised geometry delivers a consistently smooth cut, excellent bore cutting capability as well as improved handling and manoeuvrability.



HUSQVARNA X-CUT® S93G

The semi-chisel 3/8" LP 1.3mm (.050") S93G chain is developed for smaller capacity chainsaws such as arborist top handle saws. With optimised geometry and grinding providing a high cutting speed and efficient balance with the available power produced by the chainsaw, enabling a smooth and precise cut.



HUSQVARNA X-CUT® C85


An advanced, full chisel, high-performance 3/8" 1.5mm (.058") chain for full-time professional forestry saws. The chain is made entirely by Husqvarna to ensure you get the best possible output from your chainsaw. With its outstanding durability and cutting efficiency, a sharpness that lasts and low stretch, giving you better results, reduced maintenance and lower costs.



X-FORCE™ BARS

Developed with an optimised profile for improved durability and strength including features such as the large nose sprocket with additional bearings and support shields, reduced weight and the removal of the grease hole.

Available in 3/8" (15–20"), 3/8" LP (12–16") and .325" (13–20").




X-PRECISION™ BARS

X-Precision™ bars are designed specifically for use with the X-Cut® SP21G chain on Husqvarna battery-powered professional chainsaws. The optimised overall geometry and small nose radius provide efficient cutting with precise control, excellent bore cutting properties and reduced risk of kickback. Available in .325" mini (10–16").



X-TOUGH® BARS **NEW!**

X-TOUGH® bars deliver high durability, easy maintenance and increased productivity, particularly when cutting in tough conditions. A unique bar nose profile designed for reduced wear with a corrosion resistant coating for long life, bearing system with support shields for increased productivity and the absence of a grease hole prevents dirt from getting into the bearings. Available in RSN: 3/8" (16–36"), .325" (18"), and .404" (24–42"), HN: .058" (18–28"), .063" (28–36").



LAMINATED BARS WITH NOSE SPROCKET

The gentle curve and small nose radius reduce the risk of kickback and facilitates good cutting control. Coated bars to protect against scratches and corrosion. Available in 3/8" LP (10–16") and 1/4" (10"–12").






CARVING BARS

Carving bars are an essential tool for sculpting and precision cutting requirements. Long lasting performance and versatility. 1/4" (10–12").



CHAINSAW FIT UP GUIDE

	Chainsaws	Capacity	Sprocket	Guide Bar			
				Size	Part No.	Guide Bar Type	Bar Mount
H	120 II	38.2cc	6T-Spur	14" / 35cm	598 76 92-52	Laminated Sprocket Nose	Mini (A041)
H	120e II	38.2cc	6T-Spur	16" / 40cm	598 76 92-56	Laminated Sprocket Nose	Mini (A041)
H	130	38.0cc	6T-Spur	16" / 40cm	598 7692-56	Laminated Sprocket Nose	Mini (A041)
H	135 II	38.0cc	6T-Spur	16" / 40cm	598 76 92-56	Laminated Sprocket Nose	Mini (A041)
L	435e II	40.9cc	7T-Spur	16" / 40cm	582 07 53-66	X-FORCE Pro Laminated Sprocket Nose	Small (A095)
L	440e II	40.9cc	7T-Spur	16" / 40cm	582 07 53-66	X-FORCE Pro Laminated Sprocket Nose	Small (A095)
L	445e II	45.7cc	7T-Spur	18" / 45cm	582 07 53-72	X-FORCE Pro Laminated Sprocket Nose	Small (A095)
L	450e II	50.2cc	7T-Spur	20" / 50cm	582 07 53-80	X-FORCE Pro Laminated Sprocket Nose	Small (A095)
L	455R	55.5cc	7T-Spur	20" / 50cm	585 94 34-72	X-FORCE Pro Laminated Sprocket Nose	Small (A095)
L	460-20	60.3cc	7T-Spur	20" / 50cm	585 94 34-72	X-FORCE Pro Laminated Sprocket Nose	Small (A095)
L	565AT-20	70.6cc	7T-Rim	20" / 50cm	585 95 08-72	X-FORCE Pro Laminated Sprocket Nose	Large (D009)
P	550XP II	50.1cc	7T-Rim	16" / 40cm	582 07 53-66	X-FORCE Pro Laminated Sprocket Nose	Small (A095)
P	562XP-18	59.8cc	7T-Rim	18" / 45cm	596 69 11-68	X-TOUGH Solid Bar with RSN	Large (D009)
P	562XP-20	59.8cc	7T-Rim	20" / 50cm	596 69 11-72	X-TOUGH Solid Bar with RSN	Large (D009)
P	572XP-20	70.6cc	7T-Rim	20" / 50cm	596 69 11-72	X-TOUGH Solid Bar with RSN	Large (D009)
P	572XP-24	70.6cc	7T-Rim	24" / 60cm	596 69 11-84	X-TOUGH Solid Bar with RSN	Large (D009)
P	572XP-28	70.6cc	7T-Rim	28" / 70cm	596 69 11-92	X-TOUGH Solid Bar with RSN	Large (D009)
P	390XP-20	88.0cc	7T-Rim	20" / 50cm	596 69 11-72	X-TOUGH Solid Bar with RSN	Large (D009)
P	390XP-22	88.0cc	7T-Rim	22" / 55cm	596 69 11-76	X-TOUGH Solid Bar with RSN	Large (D009)
P	390XP-24	88.0cc	7T-Rim	24" / 60cm	596 69 11-84	X-TOUGH Solid Bar with RSN	Large (D009)
P	390XP-28	88.0cc	7T-Rim	28" / 70cm	596 69 11-92	X-TOUGH Solid Bar with RSN	Large (D009)
P	395XP-22	93.6cc	7T-Rim	22" / 55cm	596 69 11-76	X-TOUGH Solid Bar with RSN	Large (D009)
P	395XP-24	93.6cc	7T-Rim	24" / 60cm	596 69 11-84	X-TOUGH Solid Bar with RSN	Large (D009)
P	395XP-28	93.6cc	7T-Rim	28" / 70cm	596 69 11-92	X-TOUGH Solid Bar with RSN	Large (D009)
P	395XP-32	93.6cc	7T-Rim	32" / 81cm	596 68 91-05	X-TOUGH Solid Bar with RSN	Large (D009)
P	395XP-36	93.6cc	7T-Rim	36" / 90cm	596 68 91-15	X-TOUGH Solid Bar with RSN	Large (D009)
P	395XP-24404	93.6cc	7T-Rim	24" / 60cm	596 69 17-76	X-TOUGH Solid Bar with RSN	Large (D009)
P	395XP-28404	93.6cc	7T-Rim	28" / 70cm	596 69 17-84	X-TOUGH Solid Bar with RSN	Large (D009)
P	395XP-32404	93.6cc	7T-Rim	32" / 81cm	596 69 00-95	X-TOUGH Solid Bar with RSN	Large (D009)
P	395XP-36404	93.6cc	7T-Rim	36" / 90cm	596 69 17-04	X-TOUGH Solid Bar with RSN	Large (D009)
P	3120XP-2438	118.8cc	7T-Rim	24" / 60cm	596 69 11-84	X-TOUGH Solid Bar with RSN	Large (D009)
P	3120XP-2838	118.8cc	7T-Rim	28" / 70cm	596 69 11-92	X-TOUGH Solid Bar with RSN	Large (D009)
P	3120XP-28	118.8cc	7T-Rim	28" / 70cm	596 69 17-84	X-TOUGH Solid Bar with RSN	Large (D009)
P	3120XP-32	118.8cc	7T-Rim	32" / 81cm	596 69 00-95	X-TOUGH Solid Bar with RSN	Large (D009)
P	3120XP-36	118.8cc	7T-Rim	36" / 90cm	596 69 17-04	X-TOUGH Solid Bar with RSN	Large (D009)
P	3120XP-42	118.8cc	7T-Rim	42" / 107cm	596 69 17-22	X-TOUGH Solid Bar with RSN	Large (D009)
L	T435	35.2cc	6T-Spur	12" / 30cm	501 95 92-45	Laminated Sprocket Nose	Small (A095)
L	T525	27.0cc	6T-Spur	12" / 30cm	501 95 92-45	Laminated Sprocket Nose	Small (A095)
P	T540XP II	37.7cc	6T-Spur	12" / 30cm	501 95 92-45	Laminated Sprocket Nose	Small (A095)
Pole Saws							
P	525PT5S	25.4cc	6T-Spur	10" / 25cm	575 84 22-58	Laminated Sprocket Nose	Mini (A318)
Battery Chainsaws							
H	120i	36V Li-ion	6T-Spur	12" / 30cm	501 95 95-45	Laminated Sprocket Nose	Small (A095)
L	340i	36V Li-ion	6T-Spur	14" / 35cm	501 95 92-52	Laminated Sprocket Nose	Small (A095)
P	535iXP	36V Li-ion	6T-Spur	14" / 35cm	593 91 43-59	X-Precision Pro Laminated Sprocket Nose	Small (A095)
P	540iXP	36V Li-ion	6T-Spur	14" / 35cm	593 91 43-59	X-Precision Pro Laminated Sprocket Nose	Small (A095)
P	T535iXP	36V Li-ion	6T-Spur	12" / 30cm	593 91 43-51	X-Precision Pro Laminated Sprocket Nose	Small (A095)
P	T540iXP	36V Li-ion	6T-Spur	12" / 30cm	593 9143-51	X-Precision Pro Laminated Sprocket Nose	Small (A095)
Battery Pole Saws							
P	530iPX	36V Li-ion	6T-Spur	10" / 25cm	501 82 85-40	Laminated Sprocket Nose	Mini (A318)
P	530iP4	36V Li-ion	6T-Spur	10" / 25cm	575 84 22-58	Laminated Sprocket Nose	Mini (A318)
P	530iPT5	36V Li-ion	6T-Spur	10" / 25cm	575 84 22-58	Laminated Sprocket Nose	Mini (A318)

Chain Loop				
Pitch 	Gauge 	Drive Links 	Replacement Chain Type	Part No.
3/8" LP	.050" (1.3mm)	52	S93G - X-CUT®	585 40 42-52
3/8" LP	.050" (1.3mm)	56	S93G - X-CUT®	585 40 42-56
3/8" LP	.050" (1.3mm)	56	S93G - X-CUT®	585 40 42-56
3/8" LP	.050" (1.3mm)	56	S93G - X-CUT®	585 40 42-56
.325" Pixel	.050" (1.3mm)	66	SP33G - X-CUT®	581 64 31-66
.325" Pixel	.050" (1.3mm)	66	SP33G - X-CUT®	581 64 31-66
.325" Pixel	.050" (1.3mm)	72	SP33G - X-CUT®	581 64 31-72
.325" Pixel	.050" (1.3mm)	80	SP33G - X-CUT®	581 64 31-80
3/8"	.058" (1.5mm)	72	C85 - X-CUT®	581 6266-72
3/8"	.058" (1.5mm)	72	C85 - X-CUT®	581 6266-72
3/8"	.058" (1.5mm)	72	C85 - X-CUT®	581 62 66-72
.325" Pixel	.050" (1.3mm)	66	SP33G - X-CUT®	581 64 31-66
3/8"	.058" (1.5mm)	68	C85 - X-CUT®	581 62 66-68
3/8"	.058" (1.5mm)	72	C85 - X-CUT®	581 62 66-72
3/8"	.058" (1.5mm)	72	C85 - X-CUT®	581 62 66-72
3/8"	.058" (1.5mm)	84	C85 - X-CUT®	581 62 66-84
3/8"	.058" (1.5mm)	92	C85 - X-CUT®	581 62 66-92
3/8"	.058" (1.5mm)	72	C85 - X-CUT®	581 62 66-72
3/8"	.058" (1.5mm)	76	C85 - X-CUT®	581 62 66-76
3/8"	.058" (1.5mm)	84	C85 - X-CUT®	581 62 66-84
3/8"	.058" (1.5mm)	92	C85 - X-CUT®	581 62 66-92
3/8"	.058" (1.5mm)	76	C85 - X-CUT®	581 62 66-76
3/8"	.058" (1.5mm)	84	C85 - X-CUT®	581 62 66-84
3/8"	.058" (1.5mm)	92	C85 - X-CUT®	581 6266-92
3/8"	.058" (1.5mm)	105	C85 - X-CUT®	581 62 66-05
3/8"	.058" (1.5mm)	115	C85 - X-CUT®	581 62 66-15
.404"	.063" (1.6mm)	76	H57	501 84 34-76
.404"	.063" (1.6mm)	84	H57	510 09 41-01
.404"	.063" (1.6mm)	95	H57	501 84 34-95
.404"	.063" (1.6mm)	104	H57	501 84 34-04
3/8"	.058" (1.5mm)	84	C85 - X-CUT®	581 62 66-84
3/8"	.058" (1.5mm)	92	C85 - X-CUT®	581 62 66-92
.404"	.063" (1.6mm)	84	H57	510 09 41-01
.404"	.063" (1.6mm)	95	H57	501 84 34-95
.404"	.063" (1.6mm)	104	H57	501 84 34-04
.404"	.063" (1.6mm)	122	H57	510 09 43-01
3/8" LP	.050" (1.3mm)	45	S93G - X-CUT®	585 40 42-45
3/8" LP	.050" (1.3mm)	45	S93G - X-CUT®	585 40 42-45
3/8" LP	.050" (1.3mm)	45	S93G - X-CUT®	585 40 42-45
1/4"	.050" (1.3mm)	58	H00	501 84 40-58
3/8" LP	.043" (1.1mm)	45	H38	581 80 79-45
3/8" LP	.050" (1.3mm)	52	S93G - X-CUT®	585 40 42-52
.325" Mini Pixel	.043" (1.1mm)	59	SP21G - X-CUT®	593 91 41-59
.325" Mini Pixel	.043" (1.1mm)	59	SP21G - X-CUT®	593 91 41-59
.325" Mini Pixel	.043" (1.1mm)	51	SP21G - X-CUT®	593 91 41-51
.325" Mini Pixel	.043" (1.1mm)	51	SP21G - X-CUT®	593 91 41-51
3/8" LP	.050" (1.3mm)	40	S93G - X-CUT®	585 40 42-40
1/4"	.050" (1.3mm)	58	H00	501 84 40-58
1/4"	.050" (1.3mm)	58	H00	501 84 40-58

P Professional
Extreme Duty -
All day, every day use.

L Landowner
Heavy Duty -
Frequent or demanding use.






H Homeowner
Medium Duty -
Seasonal or occasional use.



SAW CHAIN REFERENCE CHART

Pitch	Gauge	Cutter Type	Safety	Part No.	Com Ref.	Loop / Reel	Length		Roller File Guide	Husqvarna File Kit CPI
							Bar Length	Drive Links		
1/4"	.050" (1.3mm)	Micro-Chisel		501 84 40-58	H00-58DL	Chain Loop	10" (25cm)	58	580 68 74-01	580 68 75-01
				501 84 40-60	H00-60DL	Chain Loop	10" (25cm)	60		
				501 84 40-64	H00-64DL	Chain Loop	12" (30cm)	64		
				501 84 40-68	H00-68DL	Chain Loop	12" (30cm)	68		
				503 30 54-25	H00-25R	Chain Reel	-	600 (25ft)		
				503 30 54-01	H00-100R	Chain Reel	-	2392 (100ft)		
3/8"LP	.043" (1.1mm)	Chamfer Chisel		581 80 79-40	H38-40DL	Chain Loop	10" (25cm)	40	579 55 88-01 (Roller Guide Only)	-
				581 80 79-45	H38-45DL	Chain Loop	12" (30cm)	45		
				581 80 79-52	H38-52DL	Chain Loop	14" (35cm)	52		
				581 80 79-25	H38-25R	Chain Reel	-	412 (25ft)		
				581 80 79-01	H38-100R	Chain Reel	-	1640 (100ft)		
	.050" (1.3mm)	Semi Chisel - X-CUT®		585 40 42-40	S93G-40DL	Chain Loop	10" (25cm)	40	587 80 90-01	587 80 67-01
				585 40 42-45	S93G-45DL	Chain Loop	12" (30cm)	45		
				585 40 42-50	S93G-50DL	Chain Loop	14" (35cm)	50		
				585 40 42-52	S93G-52DL	Chain Loop	14" (35cm)	52		
				585 40 42-56	S93G-56DL	Chain Loop	16" (40cm)	56		
585 40 42-01	S93G-100R	Chain Reel	-	1640 (100ft)						
.325"	0.43" (1.1mm)	Semi Chisel, Pixel Mini, X-CUT®		593 91 41-46	SP21G-46DL	Chain Loop	10" (25cm)	46	595 00 47-01	595 00 46-01
				593 91 41-51	SP21G-51DL	Chain Loop	12" (30cm)	51		
				593 91 41-59	SP21G-59DL	Chain Loop	14" (35cm)	59		
				593 91 41-64	SP21G-64DL	Chain Loop	16" (40cm)	64		
.325"	.050" (1.3mm)	Semi Chisel, Pixel X-CUT®		581 64 31-56	SP33G-56DL	Chain Loop	13" (33cm)	56	586 93 84-01	586 93 34-01
				581 64 31-64	SP33G-64DL	Chain Loop	15" (38cm)	64		
				581 64 31-66	SP33G-66DL	Chain Loop	16" (40cm)	66		
				581 64 31-72	SP33G-72DL	Chain Loop	18" (45cm)	72		
				581 64 31-80	SP33G-80DL	Chain Loop	20" (50cm)	80		
				581 64 31-01	SP33G-100R	Chain Reel	-	1848 (100ft)		
		Micro-Chisel		503 30 67-01	H22-100R	Chain Reel	-	1848 (100ft)	505 69 81-09	505 69 81-25
				503 30 67-25	H22-25R	Chain Reel	-	464 (25ft)		
		Chisel		503 30 91-01	H23-100R	Chain Reel	-	1848 (100ft)	505 69 81-09	505 69 81-25
				503 30 91-25	H23-25R	Chain Reel	-	464 (25ft)		
	.058" (1.5mm)	Micro-Chisel		501 84 04-56	H25-56DL	Chain Loop	13" (33cm)	56	505 69 81-09	505 69 81-25
				501 84 04-64	H25-64DL	Chain Loop	15" (38cm)	64		
				501 84 04-66	H25-66DL	Chain Loop	16" (40cm)	66		
				501 84 04-72	H25-72DL	Chain Loop	18" (45cm)	72		
				501 84 04-80	H25-80DL	Chain Loop	20" (50cm)	80		
				503 30 55-01	H25-100R	Chain Reel	-	1848 (100ft)		
				503 30 55-25	H25-25R	Chain Reel	-	464 (25ft)		
				Chisel		501 84 07-64	H21-64DL	Chain Loop		
		501 84 07-66	H21-66DL			Chain Loop	16" (40cm)	66		
		501 84 07-72	H21-72DL			Chain Loop	18" (45cm)	72		
		501 84 07-80	H21-80DL			Chain Loop	20" (50cm)	80		
		503 30 57-01	H21-100R			Chain Reel	-	1848 (100ft)		
		503 30 57-25	H21-25R			Chain Reel	-	464 (25ft)		
		.063" (1.6mm)	Micro-Chisel		503 30 03-22	H28-100R	Chain Reel	-	1848 (100ft)	505 69 81-09
503 30 03-25	H28-25R				Chain Reel	-	464 (25ft)			
Chisel			503 30 73-01	H26-100R	Chain Reel	-	1848 (100ft)	505 69 81-09	505 69 81-25	
			503 30 73-25	H26-25R	Chain Reel	-	464 (25ft)			








File Size 	Filing Angles				Cross Reference					
	Top Plate File Angle 	Depth Gauge 	File Guide Angle 	Top Plate Cutting Angle 	OREGON	WINDSOR	CARLTON	STIHL	PROKUT	ARCHER
5/32" (4.0mm)	30°	.025" (0.65mm)	10°	55°	25AP	50K	E1MC-BL	13RM	10SD	SC-K-S-050
11/64" (4.5mm)	30°	.025" (0.65mm)	0°	55°	90SG/90PX	43RG	N4C-BL	61PMM3	24STN	-
5/32" (4.0mm)	30°	.025" (0.65mm)	0°	60°	91PX	50RG	N1C-BL	63PMC3	-	SC-D-S-050
"5/32" (4.0mm)"	30°	.025" (0.65mm)	0°	60°	-	-	-	-	-	-
3/16" (4.8mm)	30°	.025" (0.65mm)	0°	60°	95VPX	50JSG	K1NK-BL	-	30SDN	-
3/16" (4.8mm)	30°	.025" (0.65mm)	10°	55°	20BPX	50JG	K1C-BL	23RMC	-	SC-B-S-050
3/16" (4.8mm)	25°	.025" (0.65mm)	10°	55°	20LPX	50JLG	K1L-BL	23RS	-	FC-B-S-050
3/16" (4.8mm)	30°	.025" (0.65mm)	10°	55°	21BPX	58JG	K2C-BL	25RMC	-	SC-B-S-058
3/16" (4.8mm)	25°	.025" (0.65mm)	10°	55°	21LPX	58JLG	K2L-BL	25RS	-	FC-B-S-058
3/16" (4.8mm)	30°	.025" (0.65mm)	10°	55°	22BPX	63JG	K3C-BL	26RMC	-	SC-B-S-063
3/16" (4.8mm)	25°	.025" (0.65mm)	10°	55°	22LPX	63JLG	K3L-BL	26RS	-	FC-B-S-063



SAW CHAIN REFERENCE CHART

Pitch	Gauge	Cutter Type	Safety	Part No.	Com Ref.	Loop / Reel	Length		Roller File Guide	Husqvarna File Kit CPI	
							Bar Length	Drive Links			
3/8"	.050" (1.3mm)	Semi Chisel		503 30 33-22	H51-100R	Chain Reel	-	1640 (100ft)	575 99 15-01	-	
				503 30 33-25	H51-25R	Chain Reel	-	412 (25ft)			
		Chisel X-CUT®		585 54 99-72	C83-72DL	Chain Loop	20" (50cm)	72	586 93 86-01	586 93 85-01	
				585 54 99-01	C83-100R	Chain Reel	-	1640 (100ft)			
	.058" (1.5mm)	Semi Chisel		544 07 88-68	H54-68DL	Chain Loop	18" (45cm)	68	575 99 15-01	-	
				544 07 88-72	H54-72DL	Chain Loop	20" (50cm)	72			
				544 07 88-76	H54-76DL	Chain Loop	22" (55cm)	76			
				544 07 88-84	H54-84DL	Chain Loop	24" (60cm)	84			
				503 30 50-01	H54-100R	Chain Reel	-	1640 (100ft)			
				503 30 50-25	H54-25R	Chain Reel	-	412 (25ft)			
		Chisel X-CUT®		581 62 66-56	C85-56DL	Chain Loop	15" (38cm)	56	586 93 86-01	586 93 85-01	
				581 62 66-60	C85-60DL	Chain Loop	16" (40cm)	60			
				581 62 66-68	C85-68DL	Chain Loop	18" (45cm)	68			
				581 62 66-72	C85-72DL	Chain Loop	20" (50cm)	72			
	581 62 66-76			C85-76DL	Chain Loop	22" (55cm)	76				
	581 62 66-84			C85-84DL	Chain Loop	24" (60cm)	84				
	581 62 66-92			C85-92DL	Chain Loop	28" (71cm)	92				
	581 62 66-02			C85-102DL	Chain Loop	30" (76cm)	102				
	581 62 66-05	C85-105DL	Chain Loop	32" (81cm)	105						
	581 62 66-15	C85-115DL	Chain Loop	36" (91cm)	115						
.063" (1.6mm)	Chisel		501 98 24-01	H50-100R	Chain Reel	-	1640 (100ft)	505 24 35-01	505 69 81-30		
			501 98 24-25	H50-25R	Chain Reel	-	412 (25ft)				
			Semi Chisel		503 30 88-01	H45-100R	Chain Reel	-	1640 (100ft)	505 24 35-01	505 69 81-30
					503 30 88-25	H45-25R	Chain Reel	-	412 (25ft)		
	Chisel		522 87 45-72	H58-72DL	Chain Loop	20" (50cm)	72	575 99 15-01	-		
			522 87 45-01	H58-100R	Chain Reel	-	1640 (100ft)				
			522 87 45-25	H58-25R	Chain Reel	-	412 (25ft)				
			522 87 45-72	H58-72DL	Chain Loop	20" (50cm)	72				
.404"	.063" (1.6mm)	Micro-Chisel		501 84 31-76	H64-76DL	Chain Loop	24" (60cm)	76	505 69 81-15 (Roller Guide Only)	505 69 81-92	
				501 84 31-84	H64-84DL	Chain Loop	28" (71cm)	84			
				501 84 31-92	H64-92DL	Chain Loop	30" (76cm)	92			
				501 84 31-04	H64-104DL	Chain Loop	36" (91cm)	104			
				501 84 31-24	H64-124DL	Chain Loop	42" (106cm)	124			
				503 30 64-01	H64-100R	Chain Reel	-	1484 (100ft)			
				503 30 64-25	H64-25R	Chain Reel	-	372 (25ft)			
		Micro-Bit/ Chipper		503 30 65-01	H66-100R	Chain Reel	-	1484 (100ft)	505 69 81-15 (Roller Guide Only)	505 69 81-92	
		Chisel		501 84 34-65	H57-65DL	Chain Loop	20" (50cm)	65	505 69 81-15 (Roller Guide Only)	505 69 81-92	
				501 84 34-76	H57-76DL	Chain Loop	24" (60cm)	76			
				510 09 41-01	H57-84DL	Chain Loop	28" (71cm)	84			
				501 84 34-95	H57-95DL	Chain Loop	32" (81cm)	95			
				501 84 34-04	H57-104DL	Chain Loop	36" (91cm)	104			
				510 09 43-01	H57-122DL	Chain Loop	42" (106cm)	122			
	503 30 77-01			H57-100R	Chain Reel	-	1484 (100ft)				
	503 30 77-25			H57-25R	Chain Reel	-	372 (25ft)				
	Semi Chisel -Ripping		503 30 66-01	H65-100R	Chain Reel	-	1484 (100ft)	505 69 81-15 (Roller Guide Only)	505 69 81-92		



File Size 	Filing Angles				Cross Reference					
	Top Plate File Angle 	Depth Gauge 	File Guide Angle 	Top Plate Cutting Angle 	OREGON	WINDSOR	CARLTON	STIHL	PROKUT	ARCHER
7/32" (5.5mm)	30°	.025" (0.65mm)	10°	55°	72DPX	50AG	A1EP-BL	33RM1	-	SC-A-S-050
7/32" (5.5mm)	30°	.025" (0.65mm)	10°	60°	72LGX	50APL	A1LM	33RS	40F	FC-A-050
7/32" (5.5mm)	30°	.025" (0.65mm)	10°	55°	73DPX	58AG	A2EP-BL	35RM1	-	SC-A-S-058
7/32" (5.5mm)	30°	.025" (0.65mm)	0°	60°	73LGX	58APL	A2LM	35RS	48F	FC-A-058
7/32" (5.5mm)	25°	.025" (0.65mm)	10°	55°	75LGX	63APL	A3LM	36RS	43F	FC-A-063
7/32" (5.5mm)	25°	.025" (0.65mm)	10°	55°	75LPX	63APLG	A3LM-BL	36RS1	-	FC-A-S-063
7/32" (5.5mm)	30°	.025" (0.65mm)	10°	55°	75DPX	63AG	A3EP-BL	36RM1	-	SC-A-S-063

7/32" (5.5mm)	30°	.030" (0.76mm)	10°	55°	27X	63B	B3EP	46RM	53S	SC-F-063
7/32" (5.5mm)	25°	.025" (0.65mm)	10°	55°	59AC	-	-	-	-	CH-F-063
7/32" (5.5mm)	25°	.025" (0.65mm)	10°	55°	59L	63BL	B3LM	46RS	-	FC-F-063
7/32" (5.5mm)	10-15°	.030" (0.76mm)	10°	50°	27R	63BR	B3RM10	46RCX	53SR	-



GUIDE BAR REFERENCE CHART

Product	Part No.	Length	Drive Link	Pitch	Gauge	Bar Mount	Chain Type
CARVING BAR	587 39 44-60	10" (25cm)	60DL	1/4"	.050" (1.3mm)	Small (A095)	H00
	587 39 44-68	12" (30cm)	68DL				
CONSUMER LAMINATED SPROCKET NOSE BAR	575 84 22-58	10" (25cm)	58DL	1/4"	.050" (1.3mm)	Mini (A318)	H00
	575 84 22-64	12" (30cm)	64DL				
	501 82 85-40	10" (25cm)	40DL	3/8" LP	.050" (1.3mm)	Mini (A318)	S93G, H35, H36, H37
	598 76 92-52	14" (35cm)	52DL	3/8" LP			
	598 76 92-56	16" (40cm)	56DL		3/8" LP	.050" (1.3mm)	Mini (A041)
	501 95 95-40	10" (25cm)	40DL	3/8" LP			
	501 95 95-45	12" (30cm)	45DL				
	501 95 95-52	14" (35cm)	52DL	3/8" LP	.050" (1.3mm)	Small (A095)	S93G, H35, H36, H37
	501 95 92-40	10" (25cm)	40DL				
	501 95 92-45	12" (30cm)	45DL	3/8" LP	.050" (1.3mm)	Small (A095)	S93G, H35, H36, H37
	501 95 92-52	14" (35cm)	52DL				
	501 95 92-56	16" (40cm)	56DL	3/8" LP	.050" (1.3mm)	Mini (T095)	S93G, H35, H36, H37
	501 95 96-45	12" (30cm)	45DL				
501 95 96-52	14" (35cm)	52DL	3/8" LP	.050" (1.3mm)	Mini (T095)	S93G, H35, H36, H37	
501 95 96-56	16" (40cm)	56DL					
X-PRECISION PRO LAMINATED SPROCKET NOSE BAR	593 91 43-46	10" (25cm)	46DL	.325 Pixel Mini	0.43" (1.1mm)	Small (A095)	SP21G
	593 91 43-51	12" (30cm)	51DL				
	593 91 43-59	14" (35cm)	59DL				
	593 91 43-64	16" (40cm)	64DL				
X-FORCE PRO LAMINATED SPROCKET NOSE BAR	582 20 74-45	12" (30cm)	45DL	3/8" LP	.043" (1.1mm)	Small (A095)	H38
	582 20 74-52	14" (35cm)	52DL				
	582 20 76-45	12" (30cm)	45DL	3/8" LP	.050" (1.3mm)	Small (A095)	S93G, H35, H36, H37
	582 20 76-52	14" (35cm)	52DL				
	582 20 76-56	16" (40cm)	56DL	.325" PIXEL	.050" (1.3mm)	Small (A095)	SP33G, H30
	582 07 53-56	13" (33cm)	56DL				
	582 07 53-64	15" (38cm)	64DL	.325"	.058" (1.5mm)	Small (A095)	H21, H25
	582 07 53-66	16" (40cm)	66DL				
	582 07 53-72	18" (45cm)	72DL	3/8"	.058" (1.5mm)	Small (A095)	C85, H42, H48, H52, H54
	582 07 53-80	20" (50cm)	80DL				
	582 08 69-56	13" (33cm)	56DL	.325"	.058" (1.5mm)	Small (A095)	H21, H25
	582 08 69-64	15" (38cm)	64DL				
	582 08 69-66	16" (40cm)	66DL	3/8"	.058" (1.5mm)	Large (D009)	C85, H42, H48, H52, H54
	582 08 69-72	18" (45cm)	72DL				
	582 08 69-80	20" (50cm)	80DL	3/8"	.058" (1.5mm)	Large (D009)	C85, H42, H48, H52, H54
	585 94 34-56	15" (38cm)	56DL				
	585 94 34-60	16" (40cm)	60DL	3/8"	.058" (1.5mm)	Small (A095)	C85, H42, H48, H52, H54
	585 94 34-68	18" (45cm)	68DL				
	585 94 34-72	20" (50cm)	72DL	3/8"	.058" (1.5mm)	Large (D009)	C85, H42, H48, H52, H54
	585 95 08-56	15" (38cm)	56DL				
585 95 08-60	16" (40cm)	60DL	3/8"	.058" (1.5mm)	Large (D009)	C85, H42, H48, H52, H54	
585 95 08-68	18" (45cm)	68DL					
585 95 08-72	20" (50cm)	72DL	.325"	.058" (1.5mm)	Small (K095)	H21, H25	
596 68 57-72	18" (45cm)	72DL					
X-TOUGH SOLID BAR WITH REPLACEABLE SPROCKET NOSE (RSN)	596 68 74-72	20" (50cm)	72DL	3/8"	.050" (1.3mm)	Large (D009)	C83, H46, H47, H51
	596 68 82-60	16" (40cm)	60DL	3/8"	.058" (1.5mm)	Small (K095)	C85, H42, H48, H52, H54
	596 69 15-68	18" (45cm)	68DL				
	596 69 15-72	20" (50cm)	72DL	3/8"	.058" (1.5mm)	Large (D009)	C85, H42, H48, H52, H54
	596 69 11-60	16" (40cm)	60DL				
	596 69 11-68	18" (45cm)	68DL	3/8"	.058" (1.5mm)	Large (D009)	C85, H42, H48, H52, H54
	596 69 11-72	20" (50cm)	72DL				
	596 69 11-76	22" (55cm)	76DL	3/8"	.063" (1.6mm)	Large (D009)	H45, H50, H58
	596 69 11-84	24" (60cm)	84DL				
	596 69 11-92	28" (71cm)	92DL	.404"	.063" (1.6mm)	Large (D009)	H57, H64, H65, H66
	596 68 91-05	32" (81cm)	105DL				
	596 68 91-15	36" (91cm)	115DL	3/8"	.063" (1.6mm)	Large (D009)	H45, H50, H58
	596 69 12-72	20" (50cm)	72DL				
	596 68 96-05	32" (81cm)	105DL	3/8"	.063" (1.6mm)	Large (D009)	H45, H50, H58
	596 69 12-15	36" (91cm)	115DL				
	596 69 17-76	24" (60cm)	76DL	.404"	.063" (1.6mm)	Large (D009)	H57, H64, H65, H66
	596 69 17-84	28" (71cm)	84DL				
	596 69 00-95	32" (81cm)	95DL	.404"	.063" (1.6mm)	Large (D009)	H57, H64, H65, H66
	596 69 17-04	36" (91cm)	104DL				
	596 69 17-22	42" (106cm)	122DL	.404"	.063" (1.6mm)	Large (D009)	H57, H64, H65, H66
596 69 08-68	18" (45cm)						
X-TOUGH SOLID NOSE BAR WITH HARD NOSE (HN)	596 69 08-72	20" (50cm)			.058" (1.5mm)	Large (D009)	
	596 69 08-84	24" (60cm)					
	596 69 08-92	28" (71cm)					
	596 69 10-84	28" (71cm)					
	596 69 10-04	36" (91cm)					

* Replaceable Sprocket Noses Individually Listed in Dealer Price list.



TIE STRAPS / PRESET TIE STRAPS		
Product	Part No.	Contents
Tie Strap Sets - X-CUT®		
Tie Strap Sets Incl. Preset - S93G	587 37 26-03	Pkt 38
Tie Strap Sets Incl. Preset - SP33G	587 37 26-01	Pkt 30
Tie Strap Sets Incl. Preset - S35G	587 37 26-06	Pkt 30
Tie Strap Sets Incl. Preset - C83/85, S85	587 37 26-02	Pkt 26
Tie Straps		
Tie Strap H00	504 06 62-01	Pkt 25
Tie Strap H38	504 06 62-02	Pkt 25
Tie Strap H35, 36, 37	501 84 78-05	Pkt 25
Tie Strap H30	501 84 77-07	Pkt 25
Tie Strap H42, 45, 46, 47, 48, 50, 51, 52, 54, 58	501 84 78-04	Pkt 25
Tie Strap H21, 22, 23, 25, 26, 28	501 84 77-03	Pkt 25
Tie Strap H56S, 57, 58S, 64, 64S, 65, 66	501 84 79-02	Pkt 25
Preset Tie Straps		
Preset Tie Strap H00	504 06 70-01	Pkt 25
Preset Tie Strap H38	504 06 70-02	Pkt 25
Preset Tie Strap H35, 36, 37	501 84 81-05	Pkt 25
Preset Tie Strap H30	501 84 80-08	Pkt 25
Preset Tie Strap H42, 46, 47, 48, 51, 52, 54	501 84 81-04	Pkt 25
Preset Tie Strap H45, 50, 58	504 06 70-03	Pkt 25
Preset Tie Strap H21, 22, 23, 25	501 84 80-05	Pkt 25
Preset Tie Strap H26, 28	504 06 70-04	Pkt 25
Preset Tie Strap H56S, 57, 58S, 64, 64S, 65, 66	501 84 82-02	Pkt 25

REPLACEABLE SPROCKET NOSES	
Part No.	Size
Replaceable Sprocket Nose - Single Rivet Solid Guide Bars	
501 95 75-01	3/8" - 11T
504 88 97-01	.325" - 12T
501 95 88-01	.404" - 10T
Replaceable Sprocket Nose - Laminate Guide Bars	
<i>Note- sprocket noses listed below do not suit X-Force Pro Laminated Bars</i>	
501 85 10-05	.325"/.050" - 10T
501 85 10-01	.325"/.058" - 10T
501 95 94-01	.325"/.058" - 12T
501 95 72-01	.325"/.063" - 10T
501 85 10-02	.3/8"/.058" - 10T
501 95 74-01	.3/8"/.058" - 11T
Replaceable Sprocket Nose - Three Rivet Solid Guide Bars	
597 47 43-01	.325" - 12T
597 47 41-01	3/8" - 11T
597 47 42-01	.404" - 10T



CHAIN REELS - DRIVE LINK COUNT					
CHAIN PITCH	1/4"	.325"	3/8" LP	3/8"	.404"
Drive Links - 25' Reel	600	464	412	412	372
Drive Links - 100' Reel	2392	1848	1640	1640	1484



BATTERY BELT



Husqvarna Flexi Battery Belt enables the user power product by using a BLi integrated battery whilst allowing additional batteries and accessories to be carried. Superior ergonomics maximising comfort and reducing downtime. Durable and convenient with five fixing points for carrying up to 3 batteries.

CARRIER KIT



- 5 Fixing points
- Carry up to 3 BLi batteries
- 2 BLi carriers included
- Accessory bag included

590 77 67-01 Battery Belt - Carrier Kit

ADAPTOR KIT



- 5 Fixing points
- Carry up to 3 BLi batteries
- 1 BLi carrier included
- 1 BLi carrier with adapter included
- Accessory bag included

590 77 67-02 Battery Belt - Adaptor Kit

CONNECTOR KIT



- 5 Fixing points
- Carry up to 3 BLi batteries
- 1 BLi carrier included
- 1 BLi carrier with connector included
- Accessory bag included

590 77 67-03 Battery Belt - Connector Kit

HARNESS



Connector kit for use with complete battery series handheld range.

596 25 29-01 Harness

BACKPACK ADAPTOR



Connects handheld equipment to a backpack battery or FLEXI belt.

582 78 05-01 Back Pack Adaptor (BLi550X, BLi950X)

ACCESSORY BAG



Universal carrying system for accessories or refreshments.

596 25 29-01 Accessory Bag for Battery Belt

BLi HOLDER



Maximum 3 per belt.

590 77 72-01 BLi Holder for Battery Belt

BATTERY: OTHER

MULCH KITS



Includes mulch plug and combi blade.

589 22 27-01 Mulch Kit - LC141i, LC141Li

579 85 69-01 Mulch Blade Only



Includes mulch plug and combi blade.

590 79 09-01 Mulch Kit - LC347VLi, LC347iVX

590 70 10-10 Mulch Blade Only

BLADE ATTACHMENT KIT



Includes strap and connector, handle, transport guard, blade spanner, support cup, driver and flange

587 37 50-01 Blade Attachment Kit - 520iLX, 536LiLX



BATTERY CHARGERS



QC80 - 80W



A compact battery charger with 220V socket. For safe and efficient charging of Li-ion BLI batteries. Ideal for domestic use.

967 33 56-71 QC80, Li-ion Battery Charger, 80W

QC80F - 12V DC



In-field charger with 12V socket. For safe and efficient car charging of Li-ion BLI batteries.

967 62 83-01 QC80F, Li-ion Battery Car Charger, 12V DC

QC250



A quick 250 W charging unit with active battery cooling and convenient desktop or wall-mount design.

967 97 01-05 QC250, Li-ion Battery Charger, 250W

QC500



Optimised for fast charging including back-pack batteries. 500W output with active battery cooling.

967 09 15-05 QC500, Li-ion Battery Charger, 500W

V1600 INVERTER CHARGER - 12V DC



Enables quick charging in the field by converting 12V DC from any lead-acid battery to 220V AC. Suitable for all Husqvarna chargers

967 62 85-03 V1600F, Inverter Charger, 12V DC

BATTERY STORAGE

BATTERY BAG



Insulating, splash-proof and shock absorbing bag for Bli 10/20/200 batteries. Thermo coating to keep an even operating temperature under very cold or hot climate conditions. Belt loop for ease of carrying.

585 37 18-01 Battery Bag

BATTERY BOX



Safe storage and transportation for Husqvarna batteries, chargers and accessories.

585 42 87-01 Battery Box - Small - 400 x 300 x 160mm

597 16 85-01 Battery Box - Medium - 410 x 320 x 210mm

585 42 88-01 Battery Box - Large - 500 x 300 x 210mm

597 81 74-01 Locking mechanism



RIDER ATTACHMENTS



SWEEPER



Robust sweeper with high capacity collection. Quick and tool-less assembly. Collapses for easy storage and adjustable brush height. Working width - 112cm. Collector Volume 705L

586 63 65-01 Sweeper Attachment

UTILITY BUCKET



Practical utility bucket in welded high-tensile steel for maximum durability. Hydraulic adjustment of angling and emptying. Requires hydraulic kit 966 75 45-01. Must be used with counterweight.

965 99 74-01 Utility Bucket - Suits P525D, P525DX

FLAIL MOWER



Robust, reliable flail mower for rough area clearing of overgrown grass and low brushwood. Working width 90cm. Recommended for use on AWD-models only.

966 41 61-01 Flail Mower - Suits 300 series

FLAIL MOWER



Robust, reliable flail mower for rough area clearing of overgrown grass and low brushwood. Working width 100cm.

966 79 65-01 Flail Mower -Suits P524

FLAIL MOWER



Highly productive flail mower for rough area clearing. PTO driven with reinforced bevel gear. Featuring patented shark fin shredder for improved mulching and performance in dense vegetation. Increased height adjustment range. Requires counterweight. Working width 120cm.

596 86 75-01 Flail Mower - Suits P525D, P525DX

BRUSH



Rotating broom for sweeping up gravel and leaves. Can be angled to either side. The broom includes a spray guard. Working width 105cm.

587 02 46-01 Brush - 300 Series

BRUSH



Rotating broom for sweeping up gravel and leaves. Can be angled to either side. The broom includes a spray guard. Working width 120cm.

966 79 63-01 Brush - P524

BRUSH



A rotating broom for sweeping leaves, gravel etc. Shaft driven with bevel gear and chain drive. Two rear solid support wheels. Requires hydraulic kit.

590 45 00-01 Brush - Suits P525D, P525DX

SAFETY BELT - RETRACTABLE



Automatic retractable safety belt, for replacing belt that is delivered as standard on the original seat.

576 78 34-01 Safety Belt - P524, P525D, P525DX

BLOWER



High capacity blower for cleaning areas from leaves and litter. Shaft driven fan. Air outlet rotates 360 degrees and is controlled from driver's seat. Requires hydraulic kit.

587 93 29-01 Blower - Suits P525D, P525DX

NUMBER PLATE KIT



Requires rear position installation. Includes number plate lightning.

966 79 13-01 Number Plate Kit

**POSITION & TURNING LIGHTS**

Mounts to rear position and turning lights kit (966 79 09-01).
Requires control box (966 79 08-01).

966 79 10-01 Position & Turning Lights - Front - Suits P525D

NUMBER PLATE KIT

Requires rear position installation. Includes number plate lightning.

966 79 13-01 Number Plate Kit - Suits P525D

FRONT HEADLIGHT KIT

Forward headlight with front turning and position lights. To be mounted to a separate light bar in the front. Requires control box (531 03 99-01).

966 79 12-01 Front Headlight Kit - Suits P525DX

COOLING KIT

Cooling kit to be mounted on engine hood when using the front mower in very hot climate conditions and extra cooling capacity is needed. Kit consists of electric fan, expansion tank, hoses and all necessary assembling parts.

591 12 60-01 Cooling Kit

COUNTER WEIGHT

For increased grip and improved control. Recommended for 2WD models.
Weight: 18kg

953 53 49-01 Counter Weight

TOW BALL

Maximum tow weight 350kg

587 72 76-01 Tow Ball - Suits P525D, P525DX

HYDRAULIC KIT


Kit necessary for adaption of front-mounted attachments with hydraulic function. Includes two auxiliary hydraulic connections, valve, switch and hoses with connectors and wires.

966 75 45-01 Hydraulic Kit - Suits P525D

COUNTER WEIGHT

Rear counterweight for improved grip and stability. Must be used when operating front-mounted attachments. Total weight 67kg. Includes 5 x 10kg stackable, separate weights to be installed to a mounting frame (12kg). The weights are locked with a rod and bolts.

966 75 49-01 Counter Weight - Suits P525D

CONTROL BOX

To connect and control each function of the road kit. Mounts to steering column. Mandatory for front headlights, position and turning lights, number plate kit and cabin road kit.

966 79 08-01 Control Box - Suits P525D
531 03 99-01 Control Box - Suits P525DX

LIGHTING KIT ROTATING BEACON

Orange rotating flashing light. ROPS mounting. Post, wires and switch included.

966 79 15-01 Lighting Kit Rotating Beacon
Suits P525D, P525DX

POSITION & TURNING LIGHTS - REAR

ROPS mounting. Adjustable position to enable folding of ROPS bar and narrow maneuvering. Requires control box (966 79 08-01).

966 79 09-01 Position & Turning Lights - Rear
Suits P525D, P525DX



LAWN TRACTOR ATTACHMENTS



GRASS COLLECTORS



	FITS TO	DECK TYPE	CONTAINER	CAPACITY
960 73 00-22	TS/LT Series	38" Pressed	2-Bin - Soft sided	210 Litre
960 73 00-04	TS/LT Series	42" Pressed	2-Bin - Soft Sided	210 Litre
587 41 27-01	TS Series	42" Clear Cut™	2-Bin - Soft sided	210 Litre
582 55 96-01	TS Series	48" Clear Cut™	3-Bin - Soft sided	315 Litre
591 11 13-01	TS Series	54" Clear Cut™	3-Bin - Soft sided	315 Litre
966 80 50-02	TS/YT Series	42"/ 48" Fabricated	3-Bin - Soft sided	315 Litre
960 73 00-37	TS/YT Series	46" Pressed	3-Bin - Hard sided	315 Litre
966 80 50-03	TS/GT Series	52" Fabricated	3-Bin - Soft sided	315 Litre

MULCH KITS / PLUGS



Convert your tractor to Mulching - effectively providing nutrients to the lawn, reducing evaporation and keeping the soil temperature cooler. Prevents objects from being thrown.

960 71 00-25	Mulching Plug 30"	TS/LT Series Pressed Deck	960 71 00-19	Mulching Kit 46"	TS/YT Series Pressed Deck
960 71 00-24	Mulching Plug 30"	CTH19530	586 84 27-01	Mulching Kit 46"	TS200 Series RapidReplace™ Blades
960 71 00-20	Mulching Kit 38"	TS/LT Series Pressed Deck	582 55 99-01	Mulching Kit 48"	ClearCut™ Deck
960 71 00-06	Mulching Kit 42"	TS/LT Series Pressed Deck	965 89 40-03	Mulching Kit 48"	TS/YT Series Fab Deck
587 41 23-01	Mulching Kit 42"	ClearCut™ Deck	966 51 52-01	Mulching Kit 52"	TS/GT Series Fab Deck
960 71 00-44	Mulching Kit 42"	TS200 Series RapidReplace™ Blades	591 10 21-01	Mulching Kit 54"	Clear Cut™ Deck
966 41 29-01	Mulching Kit 42"	TS/YT Series Fab Deck			

BUMPER



Effective, tubular design bumper to protect your tractor. Quick installation.

531 30 70-07 Bumper

BRUSH GUARD



Heavy-duty automotive styling and one-piece welded construction protects your tractor from accidental damage. Quick installation and easy access to the hood.

505 56 88-13 Brush Guard
574 70 34-01 Rubber End Caps

REAR DEFLECTOR



For Rear-collect tractors. Convert from collection to rear ejection.

960 71 00-41 Rear Deflector



ZTR® ZERO TURN MOWER ATTACHMENTS



GRASS COLLECTORS



		FITS TO / SUITS	DECK TYPE	CONTAINER / BLOWER	CAPACITY
966 61 05-01		RZ series	42" Pressed Deck	2-Bin Soft Sided	210 Litre
587 96 04-01		Z / RZ series	46" Pressed Deck	2-Bin Soft Sided	210 Litre
587 41 24-01		Z series	42" Clear Cut™ Deck	2-Bin Soft Sided	210 Litre
582 55 97-01		Z series	48" Clear Cut™ Deck	3-Bin Soft Sided	315 Litre
592 62 08-01		Z / RZ series	54" Pressed Deck	3-Bin Soft Sided	315 Litre
591 11 14-01		Z series	54" ClearCut™ Deck	3-Bin Soft Sided	315 Litre
587 96 02-01		Z / RZ series	48" Fabricated Deck	3-Bin Soft Sided, with Blower	315 Litre
582 55 98-01		MZ48	48" Clear Cut™ Deck	3-Bin Soft Sided	315 Litre
966 79 30-01		MZ52	52" Fabricated Deck	3-Bin Soft Sided, with Blower	315 Litre
591 11 15-01		MZ54	54" ClearCut™ Deck	3-Bin Soft Sided	315 Litre
966 79 30-03		MZT61	61" Fabricated Deck	3-Bin Soft Sided, with Blower	315 Litre
598 39 02-01		Z460	Must add 60" Drive Kit (below)	3-Bin Soft Sided	315 Litre
967 32 26-01		PZ, Z554, Z560X	Must add either 54" or 60" Drive Kit (below)	3-Bin Soft Sided	450 Litre
592 91 20-01		V500 Stand-on / ZTR®			85 Litre
966 40 71-01	54" Drive Kit	Z554			
966 40 72-01	60" Drive Kit	Z560			
598 39 03-01	60" Drive Kit	Z460			

MULCH KITS / PLUGS



Convert your ZTR® to Mulching - effectively providing nutrients to the lawn, reducing evaporation and keeping the soil temperature cooler. Prevents objects from being thrown.

960 71 00-06	Mulching Kit 42"	RZ Series, Pressed Deck
587 41 23-01	Mulching Kit 42"	ClearCut™ Deck
966 41 29-01	Mulching Kit 42"	RZ4222TF Fabricated Deck
960 71 00-19	Mulching Kit 46"	Z246i / RZ Series Pressed Deck
965 89 40-03	Mulching Kit 48"	Z248F / RZ/EZ Series, Fabricated Deck
582 55 99-01	Mulching Kit 48"	ClearCut™ Deck
582 56 00-01	Mulching Kit 48"	MZ48 ClearCut™ Deck
960 71 00-07	Mulching Kit 54"	Z254 / RZ Series Pressed Deck

591 10 21-01	Mulching Kit 54"	ClearCut™ Deck
965 89 40-01	Mulching Kit 52"	MZ52 Fabricated Deck
966 05 04-01	Mulching Kit 54"	PZT/PZ Series
966 44 47-01	Mulching Kit 60"	PZ Series
965 89 40-02	Mulching Kit 61"	MZT61
966 05 17-01	Mulching Kit 72"	PZ Series
598 39 06-01	Mulching kit 60"	Z460
592 81 05-01	Mulching Kit V548	Stand-on Zero Turn
592 80 95-01	Mulching Kit V554	Stand-on Zero Turn

ZTR® SUN SHADE



Fits to all ZTR® models with ROPS Only.

596 54 29-01	ZTR® Sun Shade
--------------	----------------

54" AND 60" OPERATOR CONTROLLED DISCHARGE CHUTE



Suits PZ / Z500 series - Side Discharge.

966 48 87-01	54" and 60" Operator Controlled Discharge Chute
--------------	-------------------------------------------------



GENERAL WHEELED ACCESSORIES



SPREADER



Easy-flow adjustment suitable for larger areas. Enclosed commercial-grade gearbox for smooth rolling and easy maintenance. Large pneumatic tyres for easy maneuverability. Durable nylon cover included. Ideal for spreading fertiliser and seed.

967 02 72-01 Spreader - Load capacity 59kg - Spread width 3.0-3.7m

589 40 93-01 Spreader - Load capacity 38kg - Spread width 1.2-3.0m

TOW BEHIND AERATOR



Husqvarna towable aerators have the capacity to aerate up to four acres per hour. Two independent tine rotors with 32 or 40 interchangeable closed spoon tines provide superior maneuverability around corners and tight areas. Optional weight containers allow you to adjust the weight to ensure optimal soil penetration. Rear mounted tip wheels allow the unit to pass through narrow openings.

540 00 00-73 Tow Behind Aerator 36" (Indent Only)

968 99 92-36 Tow Behind Aerator 48" (Indent Only)

TOW BEHIND SPRAYER



Equipped with a pressure switch to sense outlet pressure of the pump automatically turning off electrical power to the pump at 60psi. Adjustable operating pressure to the boom or spray gun indicated by a pressure gauge and adjustable spray gun nozzle from cone fine mist to stream. Boom spray width 2m with center overlap. Spray gun reach up to 9m for hard to reach trees. 95 Litre capacity.

576 21 75-01 Tow Behind Sprayer

SWEEPER



Robust sweeper with high capacity collection. Quick and tool-less assembly.

586 63 65-01 S112 Sweeper

SEAT COVER



Protects new seats and renews old seats. Cushion quilting for added comfort. 2 rear storage pockets for tools and gear. Reflective piping for extra visibility. Elastic shock cord bottom for a quick custom fit. Fits seats with backrests up to 15" tall.

588 20 87-01 Seat Cover without armrest provision

588 20 87-03 Seat Cover with armrest provision

RIDE-ON MOWER COVERS



All season protection for Ride-on lawn mowers. Reinforced vent allows air circulation and helps prevent ballooning in winds. Adjustable top and elastic cord in bottom hem for a quick and custom fit. Heavy duty fabric. Handy storage bag.

582 84 62-01 ZTR® Cover - Suits ZTR Mowers without ROPS

588 20 87-02 Tractor Cover - Suits Side Discharge Tractors

505 63 08-82 Rider/Tractor Cover Large - Suits Rear collect tractors/Riders

LOADING RAMPS



Curved ramps ideal for loading tractor and ZTR® mowers. Corrosion-resistant aluminium with an efficient non-slip surface. Suits trailers with a height up to 700mm and a max load of 450kg. 2000 x 200 x 50mm. Safe working load 315kg.

505 69 90-43 Loading Ramps - Curved (Pair)

WET AND DRY VACUUM ACCESSORIES



FLEECE FILTER BAGS



Filter bag in durable fleece material. Use of filter bag improves fill rate, extends filter cleaning interval when vacuuming fine dust and simplifies disposal. 5 pieces.

594 96 60-01 Fleece Filter Bags - 5 pcs

VEHICLE CLEANING KIT



A set of three attachments ideal for cleaning vehicles. Includes a round brush, a dusting brush, and a rubber nozzle

594 96 61-01 Vehicle Cleaning Kit

FLOOR NOZZLES



Switchable - 270mm - Handy floor nozzle perfect for vacuuming hard floors and carpets with duo mode. Works for both wet and dry cleaning.

Universal - 300mm - Versatile nozzle with narrow footprint for efficient wet and dry cleaning.

594 96 62-01 Switchable - 270mm

594 96 66-01 Universal - 300mm

TELESCOPIC TUBE



High quality, stainless steel telescopic tube. Adjustable length 580-930mm

594 96 71-01 Telescopic Tube

HOSE KIT - 3.5M



Replacement Suction Hose and Tube handle with vacuum regulation. 3.5m Length

596 72 10-01 Hose Kit - 3.5m

PET FILTER



Long lifetime, low maintenance filter cartridge. Excellent filtration efficiency. Washable. Used for both wet and dry cleaning. Suits: WDC220, WDC325L

594 96 59-01 PET Filter

POWER TOOL ADAPTOR



Adaptor that enables connection to power tools or others nozzle. Simply remove the handle from the suction hose and connect the adaptor. Included with WDC325L

595 01 42-01 Power Tool Adaptor



ROBOTIC LAWN MOWER ACCESSORIES



INSTALLATION KITS



Installation kits including loop wire, staples, couplers and connectors. Available in 3 size kits to suit different size areas and complexities:

Small - Suits open area max 800m² or complex areas max 400m²

Medium - Suits open area max 2000m² or complex areas max 1000m²

Large - Suits open area max 5000m² or complex areas max 2500m².

967 97 21-01 Small

967 97 22-01 Medium

967 97 23-01 Large

LOOP WIRE



STD Loop Wire

- Logo and meter marking (800m)
- UV Stable

Heavy Duty Loop Wire

- 100% Copper Core
- Robust - Additional Isolation
- Logo and meter marking
- UV Stable

PRO Loop Wire

- Double isolated wire
- Logo and meter marking
- Compatible with standard couplers
- Ideal for commercial application

597 23 78-01 STD - 2.7mm, 150m

580 66 20-06 STD - 2.7mm, 250m

580 66 20-04 STD - 2.7mm, 800m

522 91 41-02 HD - 3.4mm, 500m

593 29 77-02 Pro - 5.5mm, 300m

COUPLER



501 98 02-01 1 pc

577 86 47-01 Blister pack, 5pcs

501 98 02-03 100pcs

LOOP WIRE CONNECTOR



535 12 90-01 1 pc

529 28 08-01 3.4mm loop wire

577 86 48-01 Blister pack, 5pcs

535 12 90-02 100 pcs

ENDURANCE SAFETY BLADE



Swing blade design. Extend the lifetime x 2 compared to Husqvarna Long-life blades.

595 08 44-01 6pcs

595 08 44-02 45pcs

595 08 44-03 300pcs

LONG LIFE SAFETY BLADE



Long life blades to suit all models. Specially hardened safety blade.

577 86 46-03 9pcs

577 60 65-05 45pcs

577 60 66-04 300pcs

PLASTIC STAPLES



583 97 34-01 85mm, 100pcs

LOOP WIRE REPAIR KIT



597 53 95-01 Loop wire repair kit
Includes: Loop wire (5m), Couplers (6), Staples (10)



AUTOMOWER® CONNECT 4G



Remote monitoring of your Automower® for constant control. Simple, automated and intuitive. Standard on X-line models and 500 series.

586 66 23-09 305 (m2020), 310 / 315 / 430X pre-m2018

ROUGH TERRAIN KIT



Provides excellent traction on rough or sloping lawns. Contains course treaded wheels and wheel brushes.

581 88 97-02 320 / 330X / 430X / 450X
587 23 53-01 310 / 315 / 315X
597 70 54-01 (m2020)


WHEEL BRUSH KIT



Keeps the driving wheels clean to maintain good traction.

587 23 57-01 310 / 315 / 315X
581 90 31-02 320 / 330X / 430X / 450X
597 70 46-01 305 (2020)
505 13 28-03 435XAWD / 535AWD

HEADLIGHTS KIT



Energy efficient LED lighting kit that allows you to see where your Automower® is when working in the dark.

581 91 25-02 330X / 430X

STORAGE BAG



Tailored Carry bag to store and protect you Automower®.

522 91 67-01 Up to model 450X

AUTOMOWER® HOUSE



Protects the charging station and your Automower® from weather exposure.

585 01 94-01 320 / 330X / 430X / 450X / 550
597 63 53-01 435XAWD / 535AWD
587 23 61-01 305 / 310 / 315 / 315X

TEMPORARY FENCE KIT



These robust steel arches offer the ideal solution when you need to temporarily fence off a certain lawn area from being mowed by your robot. Such occasions as, when the spring flowers are blooming, or when the kids' inflatable summer pool is in use, or when you have a spot with freshly sown grass. The fencing arches are reliable and extremely easy to use – no need for adjustments of your installation or robotic mower schedule. Kit consists of 12 panels covering 1sqm.

597 98 70-01 Temporary Fence Kit

FAIRWAY KIT



Kit to convert Automower® to a lower cutting height, perfect for golf courses and other sport applications. Note: a low selected cutting height may cause a reduced mowing capacity. Use together with original Automower® Safety blades.

597 49 63-01 430X/450X/550 (2016-2019)
597 49 63-02 430X/450X/550 (2020)

AUTOMOWER® CLEANING AND MAINTENANCE KIT



Cleaning and maintenance kit with equipment for lighter cleaning and maintenance of your Automower®. The kit contains: two special brushes, a very slim and long shape brush for getting into tight spaces, and a small brush with scraper for removing grass and dirt. A screwdriver for changing the cutting blades, an abrasive pad to clean the connectors on the mower and charging station, a towel and a 200ml bottle of Automower® Care and Shine Spray.

590 85 51-01 Automower® Cleaning and Maintenance Kit

CABLE LAYER

Robust design, high speed cable layer intended for frequent commercial use. Up to 36m cable/minute can be laid into the ground, which reduces time for installation of boundary and guide wires. Supplied with a built in distance meter that measures the amount of cable that has been installed, and is compatible with all Husqvarna Automower® cables.



967 96 35-02 Cable Layer

TECHNICAL SPECIFICATIONS

Engine	Honda GXV160
Displacement	163cc
Drive	Belt and mechanical
Gears	1
Speed	2 km/h
Maximum laying speed	36 m / minute
Wheels	13"
Track	540mm (4 adjustable positions on the left and right)
Cable laying depth	From 0 to 50mm
Maximum cable diameter	6mm
Minimum edge distance	250mm
Net weight	49kg



PRESSURE WASHER ACCESSORIES



SURFACE CLEANERS



Efficient rotating cleaner with suitable for cleaning both vertical and horizontal surfaces such as patios, driveways, walls and terraces. Adjustable pressure regulator allows you to set the optimal pressure required.

SC400 is equipped with an additional set of high pressure nozzles and an extension lance.

590 65 78-01	SC400 (400 series)
590 65 79-01	SC300 (100-300 Series)

ROTATING BRUSH KIT



The Rotating Brush Kit has three different brushes that can be mounted for soft, hard and difficult to reach surfaces. Built in detergent tank with dosage regulation.

590 66 06-01	Rotating Brush Kit
--------------	--------------------

VEHICLE CLEANING KIT



Includes a wide fan jet nozzle for a sensitive surfaces, an angled nozzle for hard-to-reach areas and a wash brush with squeegee.

590 66 07-01	Vehicle Cleaning Kit
--------------	----------------------

ANGLED SPRAY LANCE



The Angled Spray Lance with an integrated nozzle is perfect when cleaning hard-to-reach areas such as under vehicles or roof gutters.

590 66 11-01	Angled Spray Lance
--------------	--------------------

CLEANING PRODUCTS



Powerful and gentle detergent designed for washing vehicles or sensitive surfaces. The detergent has a 3-in-1 effect-wash, clean and shine. Highly effective detergent ideal for cleaning pavements, bricks and wood.

590 66 13-01	Vehicle Cleaner and Wax - 2.5L
590 66 12-01	Stone and Wood Cleaner - 2.5L

WATER FILTER



Protects the pump against dirt and other water impurities that can damage the pump. 3/4" Connection. Suits: 100-300 series

590 65 93-01	Water Filter
--------------	--------------

FOAM SPRAYER



An efficient and fast covering foam sprayer with dosage regulation, saving up to 30% detergent compared to a regular foam sprayer.

590 66 04-01	Foam Sprayer
--------------	--------------

EXTENSION HOSE



Significantly increase reach of operation without compromising electrical and water supply. Quick-connect coupling for ease of use.

10m - steel reinforced with rubber outer ensures durability and flexibility. Suitable for pressures up to 160 bar and temperatures up to 100°C

8m - textile reinforced suitable for pressures up to 150 bar and temperatures up to 65°C.

590 66 09-01 Steel Reinforced - 10m

590 66 08-01 Textile Reinforced - 8m

SUCTION HOSE



3 meter Suction hose enables water supply from alternative sources such as rain water tanks. It is recommended to use a water filter (590 65 93-01) to protect the pump against dirt and other water impurities.

Suits: 100-400 series

590 65 97-01 Suction Hose

WATER SUCTION NOZZLE



Turn your high pressure washer into a pump with the capacity to remove large quantities of water.

590 66 05-01 Water Suction Nozzle

PIPE CLEANING HOSE



A flexible, self feeding 15m hose for cleaning blocked drains, pipes or rain gutters. Two nozzles included for small and large pipe diameters.

590 66 10-01 15m Pipe Cleaning Hose

O-RING KIT



Replacement o-rings for hoses, lances, nozzles and connectors.

591 10 64-01 O-ring Kit





SERVICE & WORKSHOP



BATTERY CHARGERS



BC 0.8 12V / 0.8 - For all 12V lead-acid batteries from 1.2-32Ah. The charger is suitable for maintenance charging up to 100Ah. Perfect for seasonal vehicles. Fully automatic for optimal charging and maintenance charging that maximises battery life and performance. Reverse-polarity protected and water-resistant (IP 65) for outdoor use. Ideal for use with Battery status indicator.

Battery Status Indicator - M6 eyelet to fit most batteries.

579 45 01-02	Battery Charger BC 0.8 12V / 0.8
590 06 82-02	Battery Charger XS Lithium 12V / 5A LiFePO4
579 45 21-01	Battery Status Indicator



XS Lithium 12V / 5A LiFePO4 - The LITHIUM XS battery charger is an advanced microprocessor controlled charger and maintainer. With up to 5A of charge current available, it can charge batteries from 5Ah to 60Ah and maintain up to 120Ah. An easy to use charger with 8 charging steps, a testing sequence that tells you if the battery can take and retain the charge, a unique maximisation step to restore full capacity and patented maintenance charging for maximum performance.

STARTER CORD



531 00 38-75	100m x 3.0mm	Starter Cord
531 00 38-76	100m x 3.5mm	Starter Cord



531 00 38-77	100m x 4.0mm	Starter Cord
531 00 38-78	100m x 4.5mm	Starter Cord

HUSQVARNA ENGINES



Part Number	Engine Type
599 91 22-01	Husqvarna Series HS139A
599 91 23-01	Husqvarna Series HS166A
593 23 04-01	Husqvarna Series HS452
593 23 01-01	Husqvarna Series HS608
598 63 21-01	Husqvarna Series HV764

HUSQVARNA SERVICE KITS

Part Number	Engine Type	Model
529 52 45-01	Briggs & Stratton DOV I/C	LC19AP
599 89 64-01	Briggs & Stratton Endurance 7200EFM	RC318T, RC320TSAWD
599 89 65-01	Briggs & Stratton Intek 4155	R216
599 89 74-01	Kawasaki: FR651V, FR691V, FR730V, FS481V, FS541V, FS600V, FS651V, FS691V, FS730V	TS142TXD, TS242TXD, TC242TX, Z242F, TS248TXD, Z248F, MZ48, TS354, Z254F, MZ54, R316TX, R316TSXAWD, Z460
599 96 57-01	Husqvarna Series HS139	LC118
599 96 56-01	Husqvarna Series HS166A	LC219P, LC419A, LC419SP
534 97 99-01	Kawasaki: FR541V, FR600V	Z146, Z242E
529 57 97-01	Husqvarna Series HS452	TS138
534 97 98-01	Husqvarna Series HS608	TS142
599 96 58-01	Husqvarna Series HV764	TS142T, TC138T





HUSQVARNA HQT SPARK PLUGS



CROSS REFERENCE CHARTS

IMPORTANT! Cross-References are provided as a guide only. Due to differences in design and materials, plugs produced by the various manufacturers may differ in heat range.

Husqvarna Part No	Commercial Reference	NGK	CHAMPION	BRIGGS & STRATTON	KAWASAKI	KOHLER	HONDA
577 48 40-01	HQT-1	BPMR7A, BRMA7Y	RCJ7Y	-	-	-	-
590 71 01-01	HQT-2	BPMR8A, BPMR8Y	RCJ6Y	-	-	-	-
590 84 38-01	HQT-3	CMR6H	RZ7C	-	-	-	-
590 71 02-01	HQT-4	CMR6A	RY4C	-	-	-	-
590 84 40-01	HQT-5	CMR7H	RZ7C	-	-	-	-
590 84 41-01	HQT-6	BR2LM	RJ19LM	992302	E9207 02055	-	-
590 84 42-01	HQT-7	BPR6ES	RN9YC	-	E9207 02077	-	98079-55871
590 84 43-01	HQT-8	CMR5H	RZ7C	-	-	-	-
590 84 44-01	HQT-9	BCPR5ES	QC12YC, RC12YC, XC12YC	792015, 992304, 692720	-	1213202	-
590 84 45-01	HQT-10	BMR6F	RDJ8J	-	-	-	-
596 42 10-01	HQT-11	BPR4ES	RN12YC	-	-	-	-
592 73 97-55	-	BPR5ES	RN14YC	-	-	-	-

	Commercial Reference	Husqvarna Part No
BLOWERS		
225Bx, 356BT	HQT-1	577 48 40-01
125B, 125BVx, 525BX, 580BTS	HQT-2	590 71 01-01
530BT, 570BTS, 130BT, 370BT, 425BVS, 580BTS	HQT-5	590 84 40-01
CHAINSAWS		
19mm - 100/200/300/400/500 series	HQT-1	577 48 40-01
16mm - 400/500 series	HQT-3	590 84 38-01
HEDGE TRIMMERS		
325HS99, 325HE3X, 325HD60, 325HDA55X, 325HS75	HQT-1	577 48 40-01
325HE4, 326HD60, 327HE4X, 525HE4	HQT-2	590 71 01-01
122HD45, 122HD60, 322HD60, 522HDR60S, 522HS75S	HQT-4	590 71 02-01
226HD60S	HQT-5	590 84 40-01
LAWN MOWERS		
LC118, LC219P, LC419A, LC419SP	HQT-7	590 84 42-01
LC18, LC19, LC19A, LC19SP, LC19AP	HQT-9	590 84 44-01
LB548SE, LB553SE	BPR5ES	592 73 97-55
LAWN TRACTORS		
TS142 (Hqv), TS142T, TC138T, HS608 Engine, HV764 Engine	HQT-7	590 84 42-01
TS138 (B&S), TS138 (Hqv), TC130 (B&S), TS242 (B&S), TC238 (B&S), TS246 (B&S), TS342 (B&S), TS348 (B&S), TC342 (B&S), HS452 Engine	HQT-9	590 84 44-01
TS242 (Kaw), TC238 (Kaw), TS246 (Kaw), TS342 (Kaw), TC342 (Kaw), TS348 (Kaw), TS352 (Kaw), TS354XD, TS142TXD, TS242TXD, TS248TXD, TS354	HQT-11	596 42 10-01
POLESAW		
325P5X	HQT-1	577 48 40-01
525PT5S, 327P5, 327PT5S	HQT-2	590 71 01-01
RIDERS		
R216, RC318T, RC320AWD	HQT-9	590 84 44-01
R316T, R316TX, R316TSAWD, R316TSXAWD, PS524	HQT-11	596 42 10-01
TRIMMERS & BRUSHCUTTERS		
232R, 235R, 240R, 240RJ, 252RX, 265RX, 323C/L/LD, 325LX/RJx/Rx/LD, 555FX	HQT-1	577 48 40-01
125C/L/R, 135R, 322L, 326LS, 327LS/RX/LD, 333R, 335LS, 335RX, 343FR/R, 345FX/RX, 355FX, 522L, 525LST, 525RJD, 525RS, 535LS, 535RJ, 535RX, 535RXT	HQT-2	590 71 01-01
345FR, 545RXT	HQT-3	590 84 38-01
122C, 122LK, 129C, 129LK, 129R, 325L	HQT-4	590 71 02-01
233RJ	HQT-5	590 84 40-01
324RX/LD, 524LK, 524R	HQT-8	590 84 43-01
ZERO TURNS		
Z242E (B&S), Z242F (B&S), Z246 (B&S), Z254 (B&S), Z248F (B&S), MZ52 (B&S)	HQT-9	590 84 44-01
MZ48 (Kaw), MZ52 (Kaw), MZ54, MZ54 (Kaw), MZT61 (Kaw), PZ29 (Kaw), PZT54 (Kaw), V548, V554, Z146 (Kaw), Z242E (Kaw), Z242F (Kaw), Z246 (Kaw), Z248F (Kaw), Z460 (Kaw), Z254 (Kaw), Z254F (Kaw), Z554	HQT-11	596 42 10-01
PZ34 (Kaw), Z560X, Z572X	BPR5ES	592 73 97-55



TOYS: EXCELLENT PROMOTIONAL AND MERCHANDISE OPPORTUNITY



TOY AUTOMOWER®



597 80 96-01 Toy Automower®

TOY CHAINSAW 550XP



599 60 87-01 Toy Chainsaw 550XP

TOY HEDGE TRIMMER



586 49 79-01 Toy Hedge Trimmer

TOY TRIMMER



586 49 81-01 Toy Trimmer

TOY BLOWER



586 49 80-01 Toy Blower

TOY LAWN MOWER



582 40 63-01 Toy Lawn Mower



A series of horizontal dashed lines spanning the width of the page, intended for handwriting practice.



Copyright © 2021 Husqvarna AB (publ). All rights reserved.
Husqvarna and other product and feature marks are trademarks of the
Husqvarna Group as displayed at www.international.husqvarna.com

Husqvarna Australia Pty Ltd. ABN 45 115 475 619
Locked Bag 5, Central Coast BC, NSW 2252
Telephone: 02 4352 7400 Fax: 02 4352 7499

Husqvarna New Zealand Pty Ltd. Company No. 111 861
P.O. Box 76-437, Manukau City, Auckland 2241
Telephone: 09 920 2410 Fax: 09 920 2429

www.husqvarna.com

